CTD Hydrocast Log Sheet

CO2/CLIVAR A16S Jan 11- Feb 24, 2005

Sample cop: [illegible]

STA #: 75 Cast _____ CTD# 209 Date: 2/7/0[illegible] Time (Local) Start [illegible] End: [illegible]

Rosette Bottle	Nom. Depth (m)	CFC	He	O2	O2 draw Temp	HCFC	pCO2	DIC	pH	Alk	14C	Tritiu	DOC	CDON	PIC/ POC	Salts	Nuts
Volume		0.5	0.5	0.5	0.5	1.2	1.5	0.25	1.5	0.8	1.2	0.2	0.2	1.5	0.3	0.25	
1	[illegible]	7250	107	1	[illegible]			[illegible]	1	1		[illegible]	1				194
2	[illegible]	9837/	9806		[illegible]			[illegible]	2/57	2/57		[illegible]	2				2
3	5000	9222	110	3.30	[illegible]			[illegible]	[illegible]	[illegible]		380	3				
4	[illegible]	[illegible]	X	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]		X	X				
5	[illegible]	[illegible]	X	[illegible]	[illegible]			[illegible]	5	5		X	5				
6	[illegible]	9225	X	[illegible]	[illegible]			[illegible]	6	6		X	6				
7	[illegible]	629	X	7	7.1			[illegible]	[illegible]	[illegible]		X	7				
8		7620A	X	18	7.1			[illegible]	[illegible]	[illegible]		X	[illegible]				
9	3200	7735	X	[illegible]	7.[illegible]			[illegible]				X	[illegible]				
10	2450	7209	111	1.[illegible]	7.[illegible]			[illegible]	[illegible]	[illegible]		381	[illegible]				
11	2000	9219	118	[illegible]	7.1			[illegible]	[illegible]	[illegible]		382	[illegible]				
12	[illegible]	9240	127	[illegible]	[illegible]			[illegible]	12	12		383	[illegible]				
13	1060	7201	125	1	8.5			[illegible]	[illegible]	13		384	13				
14	1500	5567	130	[illegible]	[illegible]			[illegible]	[illegible]	14		385	14				
15	[illegible]	7030A	135	15	8.7			[illegible]	[illegible]	15		386	15				
16		7622	136	[illegible]	[illegible]			[illegible]	[illegible]	16		387	[illegible]				
17	[illegible]	5565	139	17	[illegible]			B17	17	17		388	[illegible]				
18	[illegible]	7342	139	[illegible]	[illegible]			[illegible]	[illegible]	18		389	18				
19	[illegible]	7898	10	19	10.[illegible]			[illegible]	[illegible]	19/85		390	[illegible]				
20	[illegible]		X	[illegible]	[illegible]			B20	20	20		X	20				
21	[illegible]	[illegible]	141	21	[illegible]			[illegible]	21	21		[illegible]	[illegible]				
22	[illegible]		X	[illegible]	[illegible]			[illegible]	22	22		X	[illegible]				
23	[illegible]	9224	145	[illegible]	[illegible]			[illegible]	23	23		[illegible]	[illegible]				
24	[illegible]	[illegible]	148	[illegible]	[illegible]			[illegible]	24	24		392	[illegible]				
25	[illegible]		X	[illegible]	[illegible]			[illegible]	[illegible]	25		X	25				
26	[illegible]	[illegible]	149	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]		[illegible]	[illegible]				
27	[illegible]	7021A	151	[illegible]	[illegible]			[illegible]	27	27		[illegible]	[illegible]				
28	[illegible]		X	[illegible]	[illegible]			[illegible]	[illegible]	28		X	28				
29	[illegible]	7342	159	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]		[illegible]	29				
30	[illegible]	5573	168	170	[illegible]			[illegible]	[illegible]	30		397	30				
31	[illegible]		X	1	[illegible]			[illegible]	[illegible]	[illegible]		X	X				
32	[illegible]	9222	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]		399	32				
33	[illegible]	7621A	[illegible]	[illegible]	[illegible]			[illegible]	33	33		[illegible]	X				
34	60		X	17[illegible]	2[illegible]			[illegible]	[illegible]	[illegible]		X	[illegible]				
35	[illegible]	[illegible]A	207	[illegible]	34[illegible]			[illegible]	[illegible]	[illegible]/31		400	[illegible]				
36	[illegible]	[illegible]A	205	171	2[illegible]			[illegible]	36	36		401	[illegible]				36
Sampler		MW	AM	GBW				FP	[illegible]	[illegible]		AM	WSC			RW	[illegible]

Comments:

Stack 495