CTD Hydrocast Log Sheet

CO2/CLIVAR A16S Jan 11- Feb 24, 2005

Sample cop: SKD

STA #: 12 Cast 1 CTD# 209 Date: 2/13/05 Time (Local) Start [illegible] End: 0330

Rosette Bottle	Nom. Depth (m)	CFC	He	O2	O2 draw Temp	HCFC	pCO2	DIC	pH	Alk	14C	Tritiu	DOC	CDOM	PIC/ POC	Salts	Nuts
Volume		0.5	0.5	0.5	0.5	1.2	1.5	0.25	1.5	0.8	1.2	0.2	0.2	1.5	0.3	0.25	
1	5125	5575		41/45	4.7	1		C1	1	1					19	60'	123
2	4850			42	[illegible]			C2	2	2					18		
3	4500	[illegible]		43	[illegible]	2		C3	3	3							
4	4200			[illegible]	5.5												
5	3900			45	[illegible]												
6	3600			46	6.2	3											
7	[illegible]	[illegible]		47	[illegible]			C4	4	4							
8	[illegible]			[illegible]	[illegible]												
9	[illegible]			[illegible]		4		C5	5	9							
10	2500			[illegible]	[illegible]												
11	[illegible]	7654		51	[illegible]			C6	6	11							
12	[illegible]			52	[illegible]	5											
13	[illegible]	[illegible]		53	[illegible]			C7	7	13							
14	[illegible]			54	[illegible]												
15	1300			55	9.4	6											
16	1300			56	[illegible]												
17	[illegible]	7735		57	5.2	7		C8	8	12							
18	1100			58	8.3												
19	1000			59	[illegible]	8		C9	[illegible]	9							
20	900			60	5.5												
21	800	[illegible]		[illegible]	9.1			C10	[illegible]	[illegible]							
22	[illegible]			[illegible]	[illegible]	9											
23	600			[illegible]													
24	500			[illegible]	[illegible]	10											
25	450			[illegible]	[illegible]			C11		55							
26	400			103	[illegible]												
27	[illegible]			[illegible]													
28	[illegible]	[illegible]		[illegible]	15.3	12		C12	[illegible]	[illegible]							
29	[illegible]			[illegible]											7		
30	[illegible]			[illegible]	19.3	13									19		
31	[illegible]			[illegible]	22.6			C13		31					5		
32	[illegible]			[illegible]	23.9										10		
33	[illegible]			[illegible]	24.3			C14		[illegible]							
34				[illegible]	25.0	15.7									2		
35	[illegible]			75	[illegible]										1/6		
36	0	[illegible]		[illegible]	[illegible]			[illegible]		[illegible]					16	[illegible]	[illegible]
Sampler		[illegible]		[illegible]		[illegible]		[illegible]	[illegible]						[illegible]		[illegible]

Comments:

[illegible] WC