

XBT Bibliography

Total Entries: 240

2009

Entries: 2

Alory, G. and G. Meyers (2009) Warming of the Upper Equatorial Indian Ocean and Changes in the Heat Budget (1960-1999). *J. Clim.* In press

Ishizu, M., Kitade, Y., & Matsuyama, M. (2009). Characteristics of the cold-water belt formed off soya warm current. *Journal of Geophysical Research.C.Oceans*, 113(C12) doi:10.1029/2008JC004786

2008

Entries: 23

Du, Y., T. Qu, G. Meyers: (2008) Interannual variability of the sea surface temperature off Java and Sumatra in a global GCM. *J. Climate*, 21, 2451-2465.

Feng, M., A. Biastoch, C. Boning, N. Caputi, G. Meyers, 2008: Seasonal and Interannual variations of upper ocean heat balance off the west coast of Australia. *J. Geophys. Res.* 113, C12025,doi:10.1029/2008JC004908

Ffield, A., & Robertson, R. (2008). Temperature finestructure in the Indonesian seas. *Journal of Geophysical Research.C.Oceans*, 113(C9) doi:10.1029/2006JC003864

Frankcombe, L. M., Dijkstra, H. A., & von der Heydt, A. (2008). Sub-surface signatures of the Atlantic multidecadal oscillation. *Geophysical Research Letters*, 35(19) doi:10.1029/2008GL034989

Goni G., F. Bringas and P. DiNezio, Low frequency variability of the Brazil Current front, submitted to *J. Phys. Oceanog.*, 2008.

Goni G., A. Mavume, M. Rouault, J. Lutjeharms, L. Rydberg, Intensification and sea surface cooling in relation to tropical cyclones in the Mozambique Channel, submitted to *J. Geophys. Res.*, 2008.

- Gopalakrishna, V. V., Rao, R. R., Nisha, K., Girishkumar, M. S., Pankajakshan, T., Ravichandran, M., et al. (2008). Observed anomalous upwelling in the lakshadweep sea during the summer monsoon season of 2005. *Journal of Geophysical Research.C.Oceans*, 113(C5) doi:10.1029/2007JC004240
- Mainelli M., M. DeMaria, L. Shay and G. Goni, Application of oceanic heat content estimation into operational forecasting of recent Atlantic category 5 hurricanes, *Weather and Forecasting*, 23(1), 3-16, 2008.
- Maximenko, N. A., Melnichenko, O. V., Niiler, P. P., & Sasaki, H. (2008). Stationary mesoscale jet-like features in the ocean. *Geophysical Research Letters*, 35(8) doi:10.1029/2008GL033267
- Morrow, R., Valladeau, G., & Sallee, J. B. (2008). Observed subsurface signature of southern ocean sea level rise. *Progress in Oceanography*, 77(4), 351-366. doi:10.1016/j.pocean.2007.03.002
- Oke, P. R., Brassington, G. B., Griffin, D. A., & Schiller, A. (2008). The blueslink ocean data assimilation system (BODAS). *Ocean Modelling*, 21(1-2), 46-70. doi:10.1016/j.ocemod.2007.11.002
- Ridgway, K. R., Coleman, R. C., Bailey, R. J., & Sutton, P. (2008). Decadal variability of east australian current transport inferred from repeated high-density XBT transects, a CTD survey and satellite altimetry. *Journal of Geophysical Research.C.Oceans*, 113(C8) doi:10.1029/2007JC004664
- Qu, T., Y. Du, J.P. McCreary, G. Meyers, and T. Yamagata, 2008: Buffering Effect and Its Related Ocean Dynamics in the Indonesian Throughflow Region. *J. Phys. Oceanogr.*, 38, 503–516.
- Swart, S., Speich, S., Ansoerge, I. J., Goni, G. J., Gladyshev, S., & Lutjeharms, J. R. E. (2008). Transport and variability of the antarctic circumpolar current south of africa. *Journal of Geophysical Research.C.Oceans*, 113(C9) doi:10.1029/2007JC004223
- Uchida, H., & Imawaki, S. (2008). Estimation of the sea level trend south of japan by combining satellite altimeter data with in situ hydrographic data. *Journal of Geophysical Research.C.Oceans*, 113(C9) doi:10.1029/2008JC004796
- Uchida, H., Imawaki, S., & Ichikawa, H. (2008). ASUKA hydrographic data collection. *Reports of Research Institute for Applied Mechanics, Kyushu University*, (135), 21-31.

- Uehara, H., Kizu, S., Hanawa, K., Yoshikawa, Y., & Roemmich, D. (2008). Estimation of heat and freshwater transports in the north pacific using high-resolution expendable bathythermograph data. *Journal of Geophysical Research.C.Oceans*, 113(C2) doi:10.1029/2007JC004165
- Wainwright, L., Meyers, G., Wijffels, S., & Pigot, L. (2008). Change in the Indonesian throughflow with the climatic shift of 1976/77. *Geophysical Research Letters*, 35(3) doi:10.1029/2007GL031911
- Wijffels SE, Meyers G, Godfrey JS (2008) A Twenty Year Average of the Indonesian Throughflow: Regional Currents and the Interbasin Exchange.*J. Phys. Oceanogr.* 38, 1965-1978.
- Wijffels, S. E., Willis, J., Domingues, C. M., Barker, P., White, N. J., Gronell, A., et al. (2008). Changing expendable bathythermograph fall rates and their impact on estimates of thermosteric sea level rise. *Journal of Climate*, 21(21), 5657-5672. doi:10.1175/2008JCLI2290.1
- Wood, W. T., Holbrook, W. S., Sen, M. K., & Stoffa, P. L. (2008). Full waveform inversion of reflection seismic data for ocean temperature profiles. *Geophysical Research Letters*, 35(4) doi:10.1029/2007GL032359
- Yablonsky, R. M., & Ginis, I. (2008). Improving the ocean initialization of coupled hurricane-ocean models using feature-based data assimilation. *Monthly Weather Review*, 136(7), 2592-2607. doi:10.1175/2007MWR2166.1
- Zodiatis, G., Lardner, R., Hayes, D. R., Georgiou, G., Sofianos, S., Skliris, N., et al. (2008). Operational ocean forecasting in the eastern mediterranean: Implementation and evaluation. *Ocean Science*, 4(1), 31-47.

2007

Entries: 21

- Aoki, S., & Akitomo, K. (2007). Observations of small-scale disturbances of the subantarctic front south of australia. *Deep Sea Research (Part I, Oceanographic Research Papers)*, 54(3), 320-339. doi:10.1016/j.dsr.2006.12.002
- Alory, G., S. Wijffels, and G. Meyers, 2007: Observed temperature trends in the Indian Ocean over 1960-1999 and associated mechanisms. *Geophysical Research Letters*, 34, L02606.

- Baringer, M. O., & Garzoli, S. L. (2007). Meridional heat transport determined with expendable bathythermographs-part I: Error estimates from model and hydrographic data. *Deep Sea Research (Part I, Oceanographic Research Papers)*, 54(8), 1390-1401. doi:10.1016/j.dsr.2007.03.011
- Fahrbach, E., Rohardt, G., & Sieger, R. (2007). 25 years of polarstern hydrography (1982-2007). *WDC-MARE Reports*, (0005)
- Garzoli, S. L., & Baringer, M. O. (2007). Meridional heat transport determined with expendable bathythermographs-part II: South atlantic transport. *Deep Sea Research (Part I, Oceanographic Research Papers)*, 54(8), 1402-1420. doi:10.1016/j.dsr.2007.04.013
- Gouretski, V., & Koltermann, K. P. (2007). How much is the ocean really warming? *Geophysical Research Letters*, 34(1) doi:10.1029/2006GL027834
- Korotenko, K. A. (2007). A regression method for estimating salinity in the ocean. *Russian Academy of Sciences. Oceanology*, 47(4), 464-475. doi:10.1134/S0001437007040030
- Lenn, Y. D., Chereskin, T. K., Sprintall, J., & Firing, E. (2007). Mean jets, mesoscale variability and eddy momentum fluxes in the surface layer of the antarctic circumpolar current in drake passage. *Journal of Marine Research*, 65(1), 27-58. doi:10.1357/002224007780388694
- Logerwell, E. A., Stabeno, P. J., Wilson, C. D., & Hollowed, A. B. (2007). The effect of oceanographic variability and interspecific competition on juvenile pollock (*theragra chalcogramma*) and capelin (*mallotus villosus*) distributions on the gulf of alaska shelf. *Deep Sea Research (Part II, Topical Studies in Oceanography)*, 54(23-26), 2849-2868. doi:10.1016/j.dsr2.2007.08.008
- Marcelli, M., Di Maio, A., Donis, D., Mainardi, U., & Manzella, G. M. R. (2007). Development of a new expendable probe for the study of pelagic ecosystems from voluntary observing ships. *Ocean Science*, 3(2), 311-320.
- Montenegro, A., & Weatherly, G. L. (2007). Deep variability in the atlantic western boundary current based on altimetric and expendable bathythermograph data. *Journal of Geophysical Research. C.Oceans*, 112(C6) doi:10.1029/2005JC003237
- Park, S., & Chu, P. C. (2007). Synoptic distributions of thermal surface mixed layer and thermocline in the southern yellow and east china seas. *Journal of Oceanography*, 63(6), 1021-1028. doi:10.1007/s10872-007-0085-7

- Polonskii, A. B., Meyers, G., & Torbinskii, A. V. (2007). Interannual variability of the heat content of the upper layer in the equatorial indian ocean and the indian-ocean dipole. *Physical Oceanography/Morskoi Gidrofizicheskii Zhurnal*, 17(3), 129-140. doi:10.1007/s11110-007-0011-y
- Reseghetti, F., Borghini, M., & Manzella, G. M. R. (2007). Factors affecting the quality of XBT data - results of analyses on profiles from the western mediterranean sea. *Ocean Science*, 3(1), 59-75.
- Sun, C., Rienecker, M. M., Rosati, A., Harrison, M., Wittenberg, A., Keppenne, C. L., et al. (2007). Comparison and sensitivity of ODASI ocean analyses in the tropical pacific. *Monthly Weather Review*, 135(6), 2242-2264. doi:10.1175/MWR3405.1
- Thacker, W. C. (2007). Estimating salinity to complement observed temperature: 1. gulf of mexico. *Journal of Marine Systems*, 65(1-4), 224-248. doi:10.1016/j.jmarsys.2005.06.008
- Thacker, W. C., & Sindlinger, L. (2007). Estimating salinity to complement observed temperature: 2.northwestern atlantic. *Journal of Marine Systems*, 65(1-4), 249-267. doi:10.1016/j.jmarsys.2005.06.007
- Vecchi, G. A., & Harrison, M. J. (2007). An observing system simulation experiment for the indian ocean. *Journal of Climate*, 20(13), 3300-3319. doi:10.1175/JCLI4147.1
- Ueno, H., Oka, E., Suga, T., Onishi, H., & Roemmich, D. (2007). Formation and variation of temperature inversions in the eastern subarctic north pacific. *Geophysical Research Letters*, 34(5) doi:10.1029/2006GL028715
- Yan, C., Zhu, J., & Zhou, G. (2007). Impacts of XBT, TAO, altimetry and ARGO observations on the tropical pacific ocean data assimilation. *Advances in Atmospheric Sciences*, 24(3), 383-398. doi:10.1007/s00376-007-0383-4
- Zappala, G., Giammatteo, M., Gregori, A., & Totani, G. (2007). *Development of advanced instrumentation for operational oceanography*. Ashurst Lodge: WIT Press. doi:10.2495/CMEM070821

2006

Entries: 19

- Anilkumar, N., Luis, A. J., Somayajulu, Y. K., Babu, V. R., Dash, M. K., Pednekar, S. M., et al. (2006). Fronts, water masses and heat content variability in the western indian sector of the southern ocean during austral summer 2004. *Journal of Marine Systems*, 63(1-2), 20-34. doi:10.1016/j.jmarsys.2006.04.009
- Aoshima, T., Yoshimura, H., Kanehara, H., Morii, Y., Yamawaki, N., Murao, A., et al. (2006). Interannual variation of the water temperature and current velocity in the western equatorial region of the north pacific. [Kita Taiheiyou seibu nettaiki ni okeru suion to ryusoku no keinen hendou] *Bulletin of the Faculty of Fisheries, Nagasaki University*, (87), 51-58.
- Bowen, M. M., Sutton, P. J. H., & Roemmich, D. (2006). Wind-driven and steric fluctuations of sea surface height in the southwest pacific. *Geophysical Research Letters*, 33(14), n.p. doi:10.1029/2006GL026160
- Bruno, M., Vazquez, A., Gomez-Enri, J., Vargas, J. M., Lafuente, J. G., Ruiz-Canavate, A., et al. (2006). Observations of internal waves and associated mixing phenomena in the portimao canyon area. *Deep Sea Research (Part II, Topical Studies in Oceanography)*, 53(11-13), 1219-1240. doi:10.1016/j.dsr2.2006.04.015
- Castruccio, F., Verron, J., Gourdeau, L., Brankart, J. M., & Brasseur, P. (2006). On the role of the GRACE mission in the joint assimilation of altimetric and TAO data in a tropical pacific ocean model. *Geophysical Research Letters*, 33(14), n.p. doi:10.1029/2006GL025823
- Chang, P., T. Yamagata, P. Schopf, S.K. Behera, J. Carton, W.S. Kessler, G. Meyers, T. Qu, F. Schott, S. Shetye, and S. P. Xie (2006): Climate fluctuations of the tropical coupled system—the role of ocean dynamics. *J. Climate*, 19, 5122-5174.
- Dong, S., Gille, S. T., Sprintall, J., & Gentemann, C. (2006). Validation of the advanced microwave scanning radiometer for the earth observing system (AMSR-E) sea surface temperature in the southern ocean. *Journal of Geophysical Research.C.Oceans*, 111(C4) doi:10.1029/2005JC002934
- Lorbacher, K., Dommenget, D., Niiler, P. P., & Koehl, A. (2006). Ocean mixed layer depth: A subsurface proxy of ocean-atmosphere variability. *Journal of Geophysical Research.C.Oceans*, 111(C7) doi:10.1029/2003JC002157

- Douglass, E., Roemmich, D., & Stammer, D. (2006). Interannual variability in northeast pacific circulation. *Journal of Geophysical Research.C.Oceans*, 111(C4) doi:10.1029/2005JC003015
- Katsumata, K., & Wijffels, S. (2006). Semidiurnal M sub(2) internal tides in the indo-australian basin. *Geophysical Research Letters*, 33(17) doi:10.1029/2006GL026861
- Krishnan, R., K. V. Ramesh, B. K. Samala, G Meyers, J. M. Slingo, and M. J. Fennessy (2006), Indian Ocean- monsoon coupled interactions and impending monsoon droughts, *Geophys. Res. Lett.*, 33, L08711, doi:10.1029/2006GL025811.
- Lentini C., G. Goni and D. Olson, Investigation of Brazil Current rings in the Confluence region, *J. Geophys. Res.*, 111, doi:10.1029/2005JC002988, 2006.
- Matsuyama, M., Wadaka, M., Abe, T., Aota, M., & Koike, Y. (2006). Current structure and volume transport of the soya warm current in summer. *Journal of Oceanography*, 62(2), 197-205. doi:10.1007/s10872-006-0044-8
- Nittis, K., Perivoliotis, L., Korres, G., Tziavos, C., & Thanos, I. (2006). Operational monitoring and forecasting for marine environmental applications in the aegean sea. *Environmental Modelling & Software*, 21(2), 243-257. doi:10.1016/j.envsoft.2004.04.023
- Qian, W., & Hu, H. (2006). Interannual thermocline signals and el nino-la nina turnabout in the tropical pacific ocean. *Advances in Atmospheric Sciences*, 23(6), 1003-1019. doi:10.1007/s00376-006-1003-4
- Sakova, I. V., Meyers, G., & Coleman, R. (2006). Interannual variability in the indian ocean using altimeter and IX1-expendable bathy-thermograph (XBT) data: Does the 18-month signal exist? *Geophysical Research Letters*, 33(20) doi:10.1029/2006GL027117
- Yan, X., Jo, Y., Liu, W. T., & He, M. (2006). A new study of the mediterranean outflow, air-sea interactions, and meddies using multisensor data. *Journal of Physical Oceanography*, 36(4), 691-710. doi:10.1175/JPO2873.1
- Zhu, J., Zhou, G., Yan, C., Fu, W., & You, X. (2006). A three-dimensional variational ocean data assimilation system: Scheme and preliminary results. *Science in China Series D (Earth Sciences)*, 49(11), 1212-1222. doi:10.1007/s11430-006-1212-9

Zodiatis, G., Lardner, R., Hayes, D. R., Georgiou, G., Sofianos, S., Skliris, N., et al. (2006). Operational coastal ocean forecasting in the eastern mediterranean: Implementation and evaluation. *Ocean Science Discussions*, 3(3), 397-434.

2005

Entries: 25

Ali, M. M., Gopalakrishna, V. V., Araligid, N., Reddy, G. V., & Salgoanker, G. (2005). Determination of dynamic heights in the bay of bengal from XBT profiles and climatological salinities. *Journal of Marine Research*, 63(4), 671-682.

Ansorge I., S. Speich, J. Lutjeharms, G. Goni, C. Rautenback, P. Froneman and S. Garzoli, Monitoring the oceanic flow between Africa and Antarctica: Report of the first Good Hope cruise, *South African Journal of Science*, 101, pp.29-35, 2005.

Azuma, T., Hukuda, R., Masumitsu, S., Uchiyama, M., Kobari, T., & Yoshinaga, K. (2005). Preliminary report of kagoshima maru cruise ocean navigation in 2005. [2005-nen Kagoshima maru enyo chosa jisshu koukai ni okeru kaiyo chosa houkoku] *Memoirs of the Faculty of Fisheries, Kagoshima University*, 54, 77-85.

Bernal, D., & Sepulveda, C. A. (2005). Evidence for temperature elevation in the aerobic SwimmingMusculature of the common thresher shark, *alopias vulpinus*. *Copeia*, 5(1), 146-151. doi:10.1043/0045-8511(2005)005<0146:EFTEIT>2.0.CO;2

Cai, W., H. Hendon, and G. Meyers, 2005: Indian Ocean dipole-like variability in the CSIRO Mark 3 coupled climate model. *J. Climate*, 18, 1449–1468.

Cai, W., G. Meyers, and G. Shi (2005), Transmission of ENSO signal to the Indian Ocean, *Geophys. Res. Lett.*, 32, L05616, doi:10.1029/2004GL021736.

Cheng, W. -. (2005). Study mobile underwater positioning system with expendable and multi-functional bathythermographs. *Ocean Engineering*, 32(3-4), 499-512. doi:10.1016/j.oceaneng.2003.12.012

Du, Y., T. Qu, G. Meyers, Y. Masumoto, and H. Sasaki (2005), Seasonal heat budget in the mixed layer of the southeastern tropical Indian Ocean in a high-resolution ocean general circulation model, *J. Geophys. Res.*, 110,

- Furey, H. H., & Bower, A. S. (2005). Synoptic temperature structure of the east china and southeastern Japan/East seas. *Deep Sea Research (Part II, Topical Studies in Oceanography)*, 52(11-13), 1421-1442. doi:10.1016/j.dsr2.2003.07.022
- Goes, M., Molinari, R., Da Silveira, I., & Wainer, I. (2005). Retroreflections of the north brazil current during february 2002. *Deep Sea Research (Part I, Oceanographic Research Papers)*, 52(4), 647-667. doi:10.1016/j.dsr.2004.10.010
- Isoda, Y., Kubose, K., Takagi, S., & Hibiya, T. (2005). Mesothermal water in the gulf of alaska. *Bulletin of Fisheries Sciences, Hokkaido University*, 56(1), 7-18.
- Kizu, S., Ito, S., & Watanabe, T. (2005). Inter-manufacturer difference and temperature dependency of the fall-rate of T-5 expendable bathythermograph. *Journal of Oceanography*, 61(5), 905-912. doi:10.1007/s10872-006-0008-z
- Kizu, S., Yoritaka, H., & Hanawa, K. (2005). A new fall-rate equation for T-5 expendable bathythermograph (XBT) by TSK. *Journal of Oceanography*, 61(1), 115-121. doi:10.1007/s10872-005-0024-4
- Legeais, J., Speich, S., Arhan, M., Ansorge, I., Fahrbach, E., Garzoli, S., et al. (2005). The baroclinic transport of the antarctic circumpolar current south of africa. *Geophysical Research Letters*, 32(24), vp. doi:10.1029/2005GL023271
- Liu, Y., Feng, M., Church, J., & Wang, D. (2005). Effect of salinity on estimating geostrophic transport of the indonesian throughflow along the IX1 XBT section. *Journal of Oceanography*, 61(4), 795-801. doi:10.1007/s10872-005-0086-3
- McCLean, J.L., D.P. Ivanova, and J. Sprintall, 2005: Remote origins of interannual variability in the Indonesian Throughflow region from data and a global Parallel Ocean Program simulation. *J. Geophys. Res.*, 110, C10013, doi:10.1029/2004JC002477.
- Murthy, K. S. R. (2005). First oceanographic expedition to survey the impact of the sumatra earthquake and the tsunami of 26 december 2004. *Current Science*, 88(7), 1038-1039.
- Paramo, P., & Holbrook, W. S. (2005). Temperature contrasts in the water column inferred from amplitude-versus- offset analysis of acoustic reflections. *Geophysical Research Letters*, 32(24), vp. doi:10.1029/2005GL024533

- Potemra, J., 2005: Indonesian Throughflow transport variability estimated from Satellite Altimetry. *Oceanography*, 18, 99-107. Qu, T., Y. Du, J. Strachan, G. Meyers, J. Slingo (2005): Sea surface temperature and its variability in the Indonesian Seas. *Oceanography*, 18, 50-61.
- Qu, T. and G. Meyers (2005) Seasonal Characteristics of Circulation in the Southeastern Tropical Indian Ocean. *J. Phys. Oceanography*. 35, 255-267.
- Qu, T., and G. Meyers (2005), Seasonal variation of barrier layer in the southeastern tropical Indian Ocean, *J. Geophys. Res.*, 110, C11003, doi:10.1029/2004JC002816.
- Rao, C. V. K. P., Swain, J., Kumar, P. V. H., Nair, P. V., Panchalai, V. N., & Shukla, R. K. (2005). Underwater acoustic propagation experiments during ARMEX. *Mausam*, 56(1), 281-286.
- Ratsimandresy, A. W., & Pelegri, J. L. (2005). Vertical alignment of the gulf stream. *Tellus. Series A: Dynamic Meteorology and Oceanography*, 57A(4), 691-700. doi:10.1111/j.1600-0870.2005.00115.x
- Roemmich, D., Gilson, J., Willis, J., Sutton, P., & Ridgway, K. (2005). Closing the time-varying mass and heat budgets for large ocean areas: The tasman box. *Journal of Climate*, 18(13), 2330-2343. doi:10.1175/JCLI3409.1
- Vranes, K., and A.L. Gordon: 2005: Comparison of Indonesian throughflow transport observations, Makassar Strait to Eastern Indian Ocean. *Geophysical Research Letters* 32, L10606, doi:10.1029/2004GL022158.C04012, doi:10.1029/2004JC002845.

2004

Entries: 17

- Balch, W. M., Drapeau, D. T., Bowler, B. C., Booth, E. S., Goes, J. I., Ashe, A., et al. (2004). A multi-year record of hydrographic and bio-optical properties in the gulf of maine: I. spatial and temporal variability. *Progress in Oceanography*, 63(1-2), 57-98. doi:10.1016/j.pocean.2004.09.003
- Chaigneau, A., Morrow, R. A., & Rintoul, S. R. (2004). Seasonal and interannual evolution of the mixed layer in the antarctic zone south of tasmania. *Deep Sea Research (Part I, Oceanographic Research Papers)*, 51(12), 2047-2072. doi:10.1016/j.dsr.2004.06.013

- Fromm, D. M., Gaumond, C. F., Menis, R., Calvo, D. C., Lingeitch, J. F., Edelmann, G. F., et al. (2004). Experimental testing of broadband decomposition of the time reversal operator (DORT) in shallow water. *Journal of the Acoustical Society of America*, 116(4), 2574.
- Navarro-Olache, L. F., Lavin, M. F., Alvarez-Sanchez, L. G., & Zirino, A. (2004). Internal structure of SST features in the central gulf of california. *Deep Sea Research (Part II, Topical Studies in Oceanography)*, 51(6-9), 673-687. doi:10.1016/j.dsr2.2004.05.014
- Pizarro, O., & Montecinos, A. (2004). Interdecadal variability of the thermocline along the west coast of south america. *Geophysical Research Letters*, 31(20) doi:10.1029/2004GL020998
- Qian, D. W., Zhu, Y., & Liang, J. (2004). Potential contribution of maximum subsurface temperature anomalies to the climate variability. *International Journal of Climatology*, 24(2), 193-212. doi:10.1002/joc.986
- Qu, T. and G. Meyers (2004): Seasonal characteristics of circulation in the southeastern tropical Indian Ocean. *J. Phys Oceanogr.*, 35, 255-267.
- Ramp, S. R., Chiu, C., Bahr, F. L., Qi, Y., Dahl, P. H., Miller, J., et al. (2004). The shelf-edge frontal structure in the central east china sea and its impact on low-frequency acoustic propagation. *IEEE Journal of Oceanic Engineering*, 29(4), 1011-1031. doi:10.1109/JOE.2004.840842
- Rio, M. -, & Hernandez, F. (2004). A mean dynamic topography computed over the world ocean from altimetry, in situ measurements, and a geoid model. *Journal of Geophysical Research.C.Oceans*, 109(C12) doi:10.1029/2003JC002226
- Schiller, A., 2004: Effects of explicit tidal forcing in an OGCM on the water-mass structure and circulation in the Indonesian throughflow region. *Ocean Modelling*, 6, 31-49.
- Shankar, D., Gopalakrishna, V. V., Shenoi, S. S. C., Durand, F., Shetye, S. R., Rajan, C. K., et al. (2004). Observational evidence for westward propagation of temperature inversions in the southeastern arabian sea. *Geophysical Research Letters*, 31(8) doi:10.1029/2004GL019652
- Sokolov, S., King, B. A., Rintoul, S. R., & Rojas, R. L. (2004). Upper ocean temperature and the baroclinic transport stream function relationship in drake passage. *Journal of Geophysical Research.C.Oceans*, 109(C5) doi:10.1029/2003JC002010

- Thacker, W. C., Lee, S. -, & Halliwell, G. R., Jr. (2004). Assimilating 20 years of atlantic XBT data into HYCOM: A first look. *Ocean Modelling*, 7(1-2), 183-210. doi:10.1016/j.ocemod.2003.08.002
- Wei, L.I., L.I.U. Hailong, and Z. Xuehong, 2004: Indonesian Throughflow in an eddy-permitting oceanic GCM. *Chinese Science Bulletin*, 49, 2305-2310.
- Wijffels, S., & Meyers, G. (2004). An intersection of oceanic waveguides: Variability in the Indonesian throughflow region. *Journal of Physical Oceanography*, 34(5), 1232-1253. doi:10.1175/1520-0485(2004)034(1232:AIOOWV)2.0.CO;2
- Yan, X. -, Pan, J., Jo, Y. -, He, M. -, Liu, W. T., & Jiang, L. (2004). Role of winds in estimation of ocean heat storage anomaly using satellite data. *Journal of Geophysical Research.C.Oceans*, 109(C3) doi:10.1029/2003JC002202
- Yuan, X., Martinson, D. G., & Dong, Z. (2004). Upper ocean thermohaline structure and its temporal variability in the southeast Indian ocean. *Deep Sea Research (Part I, Oceanographic Research Papers)*, 51(2), 333-347. doi:10.1016/j.dsr.2003.10.005

2003

Entries: 28

- Brankart, J. -, Testut, C. -, Brasseur, P., & Verron, J. (2003). Implementation of a multivariate data assimilation scheme for isopycnic coordinate ocean models: Application to a 1993-1996 hindcast of the north Atlantic ocean circulation. *Journal of Geophysical Research.C.Oceans*, 108(C3) doi:10.1029/2001JC001198
- Chen, j., Song, G., Chu, J., & Xu, L. (2003). Anomalous sea temperature of westward transferring north equatorial current and ENSO. *Journal of Tropical oceanography/Redai Haiyang Xuebao*, 22(4), 10-17.
- Cherubin, L. M., Serra, N., & Ambar, I. (2003). Low-frequency variability of the mediterranean undercurrent downstream of portimao canyon. *Journal of Geophysical Research.C.Oceans*, 108(C3) doi:10.1029/2001JC001229
- Cione, J. J., & Uhlhorn, E. W. (2003). Sea surface temperature variability in hurricanes: Implications with respect to intensity change. *Monthly Weather Review*, 131(8), 1783-1796. doi:10.1175//2562.1

- Demirov, E., Pinardi, N., Fratianni, C., Tonani, M., Giacomelli, L., & De Mey, P. (2003). Assimilation scheme of the mediterranean forecasting system: Operational implementation. *Annales Geophysicae. Atmospheres, Hydrospheres and Space Sciences*, 21(1), 189-204.
- Feng, M., & Meyers, G. (2003). Interannual variability in the tropical indian ocean: A two-year time-scale of indian ocean dipole. *Deep-Sea Research (Part II, Topical Studies in Oceanography)*, 50(12-13), 2263-2284.
doi:10.1016/S0967-0645(03)00056-0
- Fusco, G., Manzella, G. M. R., Cruzado, A., Gacic, M., Gasparini, G. P., Kovacevic, V., et al. (2003). Variability of mesoscale features in the mediterranean sea from XBT data analysis. *Annales Geophysicae. Atmospheres, Hydrospheres and Space Sciences*, 21(1), 21-32.
- Garraffo Z., W. Johns, E. Chassignet and G. Goni, North Brazil Current rings and transport of southern waters in a high resolution numerical simulation of the North Atlantic. *Interhemispheric Water Exchange in the Atlantic Ocean, Elsevier Oceanographic Series*, 68, 375-410, Elsevier Science, 2003.
- Goni G. and W. Johns, Synoptic Study of North Brazil Current Rings Using Altimetry Data, *Interhemispheric Water Exchange in the Atlantic Ocean, Elsevier Oceanographic Series*, 68, 335-356, Elsevier Science, 2003.
- Goni G. and J. Trinanes, Ocean thermal structure monitoring could aid in the intensity forecast of tropical cyclones, EOS AGU Transactions (feature article), 84, 573-580, 2003.
- Johns W., R. Zantopp and G. Goni, Cross-gyre Water Mass Transport by North Brazil Current Rings, to *Interhemispheric Water Exchange in the Atlantic Ocean, Elsevier Oceanographic Series*, 68, 411-442, Elsevier Science, 2003.
- Lee, I. -, Chuang, W., & Wang, D. (2003). Structure and propagation of a large cyclonic eddy in the western north pacific from analysis of XBT and altimetry data and numerical simulation. *TAO: Terrestrial, Atmospheric and Oceanic Sciences*, 14(2), 183-200.
- Liu, Y., Wang, D., Qi, Y., & Wang, W. (2003). Regional characteristics of inter-annual variations in the upper layer heat content over the tropical western pacific ocean. *Oceanologia Et Limnologia Sinica/Haiyang Yu Huzhao*, 34(5), 461-473.

- Manzella, G. M. R., Scoccimarro, E., Pinardi, N., & Tonani, M. (2003). Improved near real-time data management procedures for the mediterranean ocean forecasting system-voluntary observing ship program. *Annales Geophysicae.Atmospheres, Hydrospheres and Space Sciences*, 21(1), 49-62.
- Mayer D., M. Baringer, and G. Goni, Comparison of Hydrographic and Altimetric Estimates of Sea Level Height Variability in the Atlantic Ocean, *Interhemispheric Water Exchange in the Atlantic Ocean, Elsevier Oceanographic Series*, 68, 23-48, Elsevier Science, 2003.
- Morrow, R., Brut, A., & Chaigneau, A. (2003). Seasonal and interannual variations of the upper ocean energetics between tasmania and antarctica. *Deep-Sea Research (Part I, Oceanographic Research Papers)*, 50(3), 339-356. doi:10.1016/S0967-0637(03)00015-3
- Pan, A., & Liu, Q. (2003). Subtropical mode water in the northwestern pacific. *Journal of Ocean University of Qingdao (English Edition Marine Science)*, 2(2), 134-140.
- Parent, L., Testut, C. -, Brankart, J. -, Verron, J., Brasseur, P., & Gourdeau, L. (2003). Comparative assimilation of Topex/Poseidon and ERS altimeter data and of TAO temperature data in the tropical pacific ocean during 1994-1998, and the mean sea-surface height issue. *Journal of Marine Systems*, 40-41, 381-401. doi:10.1016/S0924-7963(03)00026-5
- Pinardi, N., Allen, I., Demirov, E., De Mey, P., Korres, G., Lascaratos, A., et al. (2003). The mediterranean ocean forecasting system: First phase of implementation (1998-2001). *Annales Geophysicae.Atmospheres, Hydrospheres and Space Sciences*, 21(1), 3-20.
- Raicich, F., & Rampazzo, A. (2003). Observing system simulation experiments for the assessment of temperature sampling strategies in the mediterranean sea. *Annales Geophysicae.Atmospheres, Hydrospheres and Space Sciences*, 21(1), 151-165.
- Rike, E. R., DelBalzo, D. R., & Samuels, B. C. (2003). Optimal temperature sampling with SPOTS to improve acoustic predictions. *Journal of the Acoustical Society of America*, 114(4), 2430.
- Sokolov, S., & Rintoul, S. R. (2003). Subsurface structure of interannual temperature anomalies in the australian sector of the southern ocean. *Journal of Geophysical Research.C.Oceans*, 108(C9) doi:10.1029/2002J0001494

- Sprintall, J. (2003). Seasonal to interannual upper-ocean variability in the drake passage. *Journal of Marine Research*, 61(1), 27-57.
- Testut, C. -, Brasseur, P., Brankart, J. -, & Verron, J. (2003). Assimilation of sea-surface temperature and altimetric observations during 1992-1993 into an eddy permitting primitive equation model of the north atlantic ocean. *Journal of Marine Systems*, 40-41, 291-316. doi:10.1016/S0924-7963(03)00022-8
- Vignudelli, S., Cipollini, P., Reseghetti, F., Fusco, G., Gasparini, G. P., & Manzella, G. M. R. (2003). Comparison between XBT data and TOPEX/Poseidon satellite altimetry in the ligurian-tyrrhenian area. *Annales Geophysicae. Atmospheres, Hydrospheres and Space Sciences*, 21(1), 123-135.
- Wong, A. P. S., & Johnson, G. C. (2003). South pacific eastern subtropical mode water. *Journal of Physical Oceanography*, 33(7), 1493-1509. doi:10.1175/1520-0485(2003)033(1493:SPESMW)2.0.CO;2
- Yu, L. (2003). Variability of the depth of the 20 degree C isotherm along 6 degree N in the bay of bengal: Its response to remote and local forcing and its relation to satellite SSH variability. *Deep-Sea Research (Part II, Topical Studies in Oceanography)*, 50(12-13), 2285-2304. doi:10.1016/S0967-0645(03)00057-2
- Zervakis, V., Papadoniou, G., Tziavos, C., & Lascaratos, A. (2003). Seasonal variability and geostrophic circulation in the eastern mediterranean as revealed through a repeated XBT transect. *Annales Geophysicae. Atmospheres, Hydrospheres and Space Sciences*, 21(1), 33-47.

2002

Entries: 28

- Chen, J., He, Y., Sun, S., Xu, L., Song, G., & Zhang, Y. (2002). The west pacific warm pool variation and its influence on subsurface ocean temperature field in the west pacific. *Acta Oceanologica Sinica. Chinese edition/Haiyang Xuebao*, 24(3), 35-44.
- Gilson, J., & Roemmich, D. (2002). Mean and temporal variability in kuroshio geostrophic transport south of taiwan (1993-2001). *Journal of Oceanography*, 58(1), 183-195.

- Goni G. and M. Baringer, Ocean Surface Currents in the Tropical Atlantic Across High Density Line AX08, *Geophys. Res. Lett.*, December 27, 2002.
- Goni, G. P. Black, J. Cione and L. Shay, Use of Satellite Altimetry to Identify Regions of Hurricane Intensification, *Remote Sensing for Marine and Coastal Environments*, pp1-4, 2002.
- Kessler, W. S. (2002). Mean three-dimensional circulation in the northeast tropical pacific. *Journal of Physical Oceanography*, 32(9), 2457-2471. doi:10.1175/1520-0485(2002)032(2457:MTDCIT)2.0.CO;2
- Kitade, Y., & Matsuyama, M. (2002). Semidiurnal internal tide observed over ohmuro-dashi, the northern part of the izu ridge. *Deep-Sea Research (Part I, Oceanographic Research Papers)*, 49(8), 1309-1320.
- Kizu, S., & Hanawa, K. (2002). Recorder-dependent temperature error of expendable bathythermograph. *Journal of Oceanography*, 58(3), 469-476.
- Kizu, S., & Hanawa, K. (2002). Start-up transient of XBT measurement. *Deep-Sea Research (Part I, Oceanographic Research Papers)*, 49(5), 935-940.
- Maekawa, Y., Uchida, M., Yoshida, S., & Nagata, Y. (2002). The formation of thick and stable warm eddies inside the large meander of the kuroshio south of honshu, japan. *Umi/Ia Mer*, 40(4), 171-182.
- Matsumoto, T., Miyabe, N., Saito, H., Okazaki, M., & Chow, S. (2002). Report of 2000-2001 research cruise by R/V shoyo-maru conducted under the ICCAT's BETYP. *Collective Volume of Scientific Papers. International Commission for the Conservation of Atlantic Tunas/Recueil De Documents Scientifiques. Commission Internationale Pour La Conservation Des Thonides De l'Atlantique/Coleccion De Documentos Cientif(TRUNCATED)*, 54(1), 68-90.
- Mourino, B., Fernandez, E., Escanez, J., de Armas, D., Giraud, S., Sinha, B., et al. (2002). A subtropical oceanic ring of magnitude (STORM) in the eastern north atlantic: Physical, chemical and biological properties. *Deep-Sea Research (Part II, Topical Studies in Oceanography)*, 49(19), 4003-4021.
- Nof, D., T. Pichevin, and J. Sprintall, 2002: "Teddies" and the origin of the Leeuwin Current. *J. Phys. Oceanogr.*, 32, 2571– 2588.
- Odate, T. (2002). Activities of the summer party of the 43rd japanese antarctic research expedition, marine science cruise 2002. *Antarctic Record (Tokyo)*, 46(3), 579-600.

- Penduff, T., Brasseur, P., Testut, C. -, Barnier, B., & Verron, J. (2002). A four-year eddy-permitting assimilation of sea-surface temperature and altimetric data in the south atlantic ocean. *Journal of Marine Research*, 60(6), 805-833.
- Pingree, R. (2002). Ocean structure and climate (eastern north atlantic): In situ measurement and remote sensing. *Journal of the Marine Biological Association of the United Kingdom*, 82(2), 681-707.
- Rao, S.A., V. V. Gopalkrishnan, S. R. Shetye, and T. Yamagata, 2002: Why were cool SST anomalies absent in the Bay of Bengal during the 1997 Indian Ocean dipole event? *Geophys. Res. Lett.*,29, 1555, doi:10.1029/2001GL014645.
- Ridgway, K. R., Dunn, J. R., & Wilkin, J. L. (2002). Ocean interpolation by four-dimensional weighted least squares-application to the waters around australasia. *Journal of Atmospheric and Oceanic Technology*, 19(9), 1357-1375. doi:10.1175/1520-0426(2002)019(1357:OIBFDW)2.0.CO;2
- Rintoul, S. R., Sokolov, S., & Church, J. (2002). A 6 year record of baroclinic transport variability of the antarctic circumpolar current at 140E derived from expendable bathythermograph and altimeter measurements. *Journal of Geophysical Research.C.Oceans*, 107(C10) doi:10.1029/2001JC000787
- Rogers, R. J. (2002). An oceanographic surveying decision aid (SDA) for optimum ocean sampling strategies. *Hydrographic Journal*, (106), 3-7.
- Schiebel, R., Waniek, J., Zeltner, A., & Alves, M. (2002). Impact of the azores front on the distribution of planktic foraminifers, shelled gastropods, and coccolithophorids. *Deep-Sea Research (Part II, Topical Studies in Oceanography)*, 49(19), 4035-4050.
- Serra, N., & Ambar, I. (2002). Eddy generation in the mediterranean undercurrent. *Deep-Sea Research (Part II, Topical Studies in Oceanography)*, 49(19), 4225-4243.
- Sokolov, S., & Rintoul, S. R. (2002). Structure of southern ocean fronts at 140 degree E. *Journal of Marine Systems*, 37(1-2), 151-184. doi:10.1016/S0924-7963(02)00200-2
- Sprintall, J., Wijffels, S., Chereskin, T., & Bray, N. (2002). The JADE and WOCE I10/IR6 throughflow sections in the southeast indian ocean. part 2: Velocity and transports. *Deep-Sea Research (Part II, Topical Studies in Oceanography)*, 49(7-8), 1363-1389.

- Sutton, P. J. H., & Chereskin, T. K. (2002). Absolute geostrophic currents in the east auckland current region. *New Zealand Journal of Marine and Freshwater Research*, 36(4), 751-762.
- Thacker, W. C., & Esenkov, O. E. (2002). Assimilating XBT data into HYCOM. *Journal of Atmospheric and Oceanic Technology*, 19(5), 709-724. doi:10.1043/1520-0426(2002)019(0709:AXDIH)2.0.CO;2
- Thadathil, P., Saran, A. K., Gopalakrishna, V. V., Vethamony, P., Araligidat, N., & Bailey, R. (2002). XBT fall rate in waters of extreme temperature: A case study in the antarctic ocean. *Journal of Atmospheric and Oceanic Technology*, 19(3), 391-396.
- Wijffels, S., J. Sprintall, M. Fieux, and N. Bray, 2002: The JADE and WOCE I10/IR6 Throughflow sections in the southeast Indian Ocean. Part 1: water mass distribution and variability. *Deep Sea Research Part II: Topical Studies in Oceanography*, 49, 1341-1362.
- Zervakis, V., Nittis, K., Perivoliotis, L., & Tziavos, C. (2002). A comparison of model predictions to observations of seasonal variability and circulation in the eastern mediterranean. *Journal of Atmospheric and Ocean Science*, 8(2-3), 141-162. doi:10.1080/1023673029000003516

2001

Entries: 24

- Birrol, F., & Morrow, R. (2001). Source of the baroclinic waves in the southeast indian ocean. *Journal of Geophysical Research.C.Oceans*, 106(C5), 9145-9160.
- Bonekamp, H., van Oldenborgh, G. J., & Burgers, G. (2001). Variational assimilation of tropical atmosphere-ocean and expendable bathythermograph data in the hamburg ocean primitive equation ocean general circulation model, adjusting the surface fluxes in the tropical ocean. *Journal of Geophysical Research.C.Oceans*, 106(C8), 16,693-16,709.
- Chiswell, S. M. (2001). Determining the internal structure of the ocean off north-east new zealand from surface measurements. *New Zealand Journal of Marine and Freshwater Research*, 35(2), 289-306.
- Chu, P. C., & Fan, C. (2001). Low salinity, cool-core cyclonic eddy detected north-west of luzon during the south china sea monsoon experiment (SCSMEX) in july 1998. *Journal of Oceanography*, 57(5), 549-563.

- Feng, M., Meyers, G., & Wijffels, S. (2001). Interannual upper ocean variability in the tropical Indian Ocean. *Geophysical Research Letters*, 28(21), 4151-4154.
- Frankignoul, C., De Coetlogon, G., Joyce, T. M., & Dong, S. (2001). Gulf stream variability and ocean-atmosphere interactions. *Journal of Physical Oceanography*, 31(12), 3516.
- Goni G. and W. Johns Census of Warm Rings and Eddies in the North Brazil Current Retroflection Region from 1992 through 1998 Using TOPEX/POSEIDON Altimeter Data. *Geophys. Res. Lett.*, , **28**, 1-4, 2001.
- Goni G. and I. Wainer, Investigation of the Brazil Current Front Dynamics from Altimeter Data. *J. Geophys. Res.*, **36**, 31,117-31,128, 2001.
- Hanawa, K., & Yoritaka, H. (2001). North Pacific subtropical mode waters observed in long XBT cross sections along 32.5 degree N line. *Journal of Oceanography*, 57(6), 679-692.
- Hautala, S. L., J. Sprintall, J. Potemra, A. G. Ilahude, J. C. Chong, W. Pandoe, and N. Bray, 2001: Velocity structure and transport of the Indonesian Throughflow in the major straits restricting flow into the Indian Ocean. *J. Geophys. es.*, 106, 19 527–19 546.
- Hunt, B. P. V., Pakhomov, E. A., & McQuaid, C. D. (2001). Short-term variation and long-term changes in the oceanographic environment and zooplankton community in the vicinity of a sub-antarctic archipelago. *Marine Biology*, 138(2), 369-381.
- Kovacevic, V., Gacic, M., Fusco, G., & Cardin, V. (2001). Temporal evolution of thermal structures and winter heat content change from VOS-XBT data in the central Mediterranean Sea. *Annales Geophysicae. Atmospheres, Hydrospheres and Space Sciences*, 21(1), 63-73.
- Marrero-Diaz, A., Pelegri, J. L., Rodriguez-Santana, A., & Sangra, P. (2001). Applicability of T-S algorithms to the Canary Islands region. *Scientia Marina (Barcelona)*, 65(Suppl. 1), 195-204.
- Mayer, D. A., Molinari, R. L., Baringer, M. O., & Goni, G. J. (2001). Transition regions and their role in the relationship between sea surface height and subsurface temperature structure in the Atlantic Ocean. *Geophysical Research Letters*, 28(20), 3943-3946.
- Meinen, C. S., & McPhaden, M. J. (2001). Interannual variability in warm water volume transports in the equatorial Pacific during 1993-99. *Journal of Physical Oceanography*, 31(5), 1324-1345.

- Morozov, E. G. (2001). Several approaches to the investigation of tidal internal waves in the northern part of the pacific ocean. *Russian Academy of Sciences.Oceanology*, 41(2), 171-175.
- Ratsimandresy, A. W., Pelegri, J. L., Marrero-Diaz, A., Hernandez-Guerra, A., & Martinez, A. (2001). Seasonal variability of the upper warmwatersphere in the canary basin. *Scientia Marina (Barcelona)*, 65(Suppl. 1), 251-258.
- Roemmich, D., & Gilson, J. (2001). Eddy transport of heat and thermocline waters in the north pacific: A key to Interannual/Decadal climate variability? *Journal of Physical Oceanography*, 31(3), 675-688.
- Roemmich, D., Gilson, J., Cornuelle, B., & Weller, R. (2001). Mean and time-varying meridional transport of heat at the tropical/subtropical boundary of the north pacific ocean. *Journal of Geophysical Research.C.Oceans*, 106(C5), 8957-8970.
- Rosby, T., & Zhang, H. -. (2001). The near-surface velocity and potential vorticity structure of the gulf stream. *Journal of Marine Research*, 59(6), 949-975.
- Sainz-Trapaga, S. G. Goni, T. Sugimoto, 2001. Identification of the Kuroshio Extension and its Northern Branch from Altimeter and Hydrographic Data During November 1992 - August 1999: Mesoscale Dynamics and Variability. *Geophys. Res. Let.*, **28**, 1759-1762,
- Stanton, B. R. (2001). Estimating the east auckland current transport from model winds and the island rule. *New Zealand Journal of Marine and Freshwater Research*, 35(3), 531-540.
- Sutton, P. J. H., & Roemmich, D. (2001). Ocean temperature climate off north-east new zealand. *New Zealand Journal of Marine and Freshwater Research*, 35(3), 553-565.
- Thadathil, P., Ghosh, A. K., Sarupria, J. S., & Gopalakrishna, V. V. (2001). An interactive graphical system for XBT data quality control and visualization. *Computers & Geosciences*, 27(7), 867-876.

2000

Entries: 32

Biggs, D. C., Leben, R. R., & Ortega-Ortiz, J. G. (2000). Ship and satellite studies of mesoscale circulation and sperm whale habitats in the northeast gulf of mexico during GulfCet II. *Gulf of Mexico Science*, 18(1), 15-22.

Carton, J. A., Chepurin, G., Cao, X., & Giese, B. (2000). A simple ocean data assimilation analysis of the global upper ocean 1950-95. part I: Methodology. *Journal of Physical Oceanography*, 30(2), 294-309.

Carton, J. A., Chepurin, G., & Cao, X. (2000). A simple ocean data assimilation analysis of the global upper ocean 1950-95. part II: Results. *Journal of Physical Oceanography*, 30(2), 311-326.

Dewitte, B. (2000). Sensitivity of an intermediate ocean-atmosphere coupled model of the tropical pacific to its oceanic vertical structure. *Journal of Climate*, 13(13), 2363-2388.

D'Ortenzio, F., Marullo, S., & Santoleri, R. (2000). Validation of AVHRR pathfinder SST's over the mediterranean sea. *Geophysical Research Letters*, 27(2), 241-244.

Durand, F., & Delcroix, T. (2000). On the variability of the tropical pacific thermal structure during the 1979-96 period, as deduced from XBT sections. *Journal of Physical Oceanography*, 30(12), 3261-3269.

Ffield, A., Vranes, K., Gordon, A. L., Susanto, R. D., & Garzoli, S. L. (2000). Temperature variability within makassar strait. *Geophysical Research Letters*, 27(2), 237-240.

Fleurant, C., Wilson, D., Johns, W., Garzoli, S., Smith, R., Fratantoni, D., et al. (2000). *CTD/O2, LADCP and XBT measurements collected aboard the R/V SEWARD JOHNSON, february-march 2000: North brazil current rings experiment cruise 3 (NBC-3) (M2 551.46 General (551.46); Q2 02142 Methods and instruments No. 38)*National Oceanic and Atmospheric Administration.

- Fleurant, C., Wilson, D., Johns, W., Garzoli, S., Smith, R., Fratantoni, D., et al. (2000). *CTD/O2, LADCP and XBT measurements collected aboard the R/V SEWARD JOHNSON, february-march 1999: North brazil current rings experiment cruise 2 (NBC-2)* (M2 551.46 General (551.46); Q2 02141 General No. 37)National Oceanic and Atmospheric Administration.
- Fleurant, C., Wilson, D., Johns, W., Garzoli, S., Smith, R., Fratantoni, D., et al. (2000). *CTD/O2, LADCP and XBT measurements collected aboard the R/V SEWARD JOHNSON, december 1998: North brazil current rings experiment cruise 1 (NBC-1) (august 2000)* (M2 551.46 General (551.46); Q2 02142 Methods and instruments No. 39)National Oceanic and Atmospheric Administration.
- Fuda, J. L., Millot, C., Taupier-Letage, I., Send, U., & Bocognano, J. M. (2000). XBT monitoring of a meridian section across the western mediterranean sea. *Deep-Sea Research (Part I, Oceanographic Research Papers)*, 47(11), 2191-2218.
- Gaillard, F., Gascard, J. -, & Klein, P. (2000). A methodology for assessing the postconvection mesoscale dynamics in the gulf of lion from composite datasets. *Journal of Physical Oceanography*, 30(12), 3113-3133.
- Garzoli S.and G. Goni. Combining Altimeter Observations and Oceanographic Data for Ocean Circulation and Climate Studies. *Satellites, Oceanography and Society*, D. Halpern (editor). Elsevier Oceanographic Series, 63, 79-95, 2000.
- Godfrey, J. S., & Mansbridge, J. V. (2000). Ekman transports, tidal mixing, and the control of temperature structure in australia's northwest waters. *Journal of Geophysical Research.C.Oceans*, 105(C10), 24021-24044.
- Gopalan, A. K. S., Krishna, V. V. G., Ali, M. M., & Sharma, R. (2000). Detection of bay of bengal eddies from TOPEX and in situ observations. *Journal of Marine Research*, 58(5), 721-734.
- Gourdeau, L., Verron, J., Delcroix, T., Busalacchi, A. J., & Murtugudde, R. (2000). Assimilation of TOPEX/Poseidon altimetric data in a primitive equation model of the tropical pacific ocean during the 1992-1996 el nino-southern oscillation period. *Journal of Geophysical Research.C.Oceans*, 105(c4), 8473-8488.
- Greiner, E., & Arnault, S. (2000). Comparing the results of a 4D-variational assimilation of satellite and in situ data with WOCE CITHER hydrographic measurements in the tropical atlantic. *Progress in Oceanography*, 47(1), 1-68.

- Higashi, M., Ichikawa, H., Shimada, K., Habano, A., & Azuma, T. (2000). Oceanographic condition in fall of 1999 along the section between the south of kyusyu and the yap islands. *Memoirs of the Faculty of Fisheries, Kagoshima University*, 49, 1-7.
- Hitchcock, G. L., Key, E. L., & Masters, J. (2000). The fate of upwelled waters in the great whirl, august 1995. *Deep-Sea Research (Part II, Topical Studies in Oceanography)*, 47(7-8), 1605-1621. doi:10.1016/S0967-0645(99)00156-3
- Hooker, S. B., Rees, N. W., & Aiken, J. (2000). An objective methodology for identifying oceanic provinces. *Progress in Oceanography*, 45(3-4), 313-338.
- Kelly P., K. Lwiza, R. Cowen and G. Gon Low-salinity Lenses at Barbados, West Indies: Their Origin, Frequency and Variability. i, *J. Geophys. Res.*, 105, 19699-19708, 2000.
- McCarthy, M. C., Talley, L. D., & Roemmich, D. (2000). Seasonal to interannual variability from expendable bathythermograph and TOPEX/Poseidon altimeter data in the south pacific subtropical gyre. *Journal of Geophysical Research.C.Oceans*, 105(C8), 19535-19550.
- Molinari, R. L., & Festa, J. F. (2000). Effect of subjective choices on the objective analysis of sea surface temperature data in the tropical atlantic and pacific oceans. *Oceanologica Acta*, 23(1), 3-14. doi:10.1016/S0399-1784(00)00108-0
- Murty, V. S. N., Sarma, M. S. S., Lambata, B. P., Gopalakrishna, V. V., Pednekar, S. M., Rao, A. S., et al. (2000). Seasonal variability of upper-layer geostrophic transport in the tropical indian ocean during 1992--1996 along TOGA-I XBT tracklines. *Deep-Sea Research (Part I, Oceanographic Research Papers)*, 47(8), 1569-1582. doi:10.1016/S0967-0637(99)00115-6
- Ruffa, A. A., & Bard, J. (2000). Tow cable for temperature measurement. *Sea Technology*, 41(11), 38-43.
- Schiller, A., Godfrey, J. S., McIntosh, P. C., Meyers, G., & Fiedler, R. (2000). Interannual dynamics and thermodynamics of the indo-pacific oceans. *Journal of Physical Oceanography*, 30(5), 987-1012.
- Segschneider, J., Anderson, D. L. T., & Stockdale, T. N. (2000). Toward the use of altimetry for operational seasonal forecasting. *Journal of Climate, Boston, MA*, 13(17), 3115-3138.

Shay L., G. Goni and P. Black, Effects of Warm Oceanic Features on Hurricane Opal. *Mon. Weath. Rev.*, 128, 131-148, 2000.

Skarsoulis, E. K., & Send, U. (2000). One-step analysis of nonlinear traveltime data in ocean acoustic tomography. *Journal of Atmospheric and Oceanic Technology*, 17(2), 240-254.

Wang, L., Koblinsky, C. J., & Howden, S. (2000). Mesoscale variability in the south china sea from the TOPEX/Poseidon altimetry data. *Deep-Sea Research (Part I, Oceanographic Research Papers)*, 47(4), 681-708. doi:10.1016/S0967-0637(99)00068-0

Wainer, I., P. Gent and G. Goni, The Annual Cycle of the Brazil-Malvinas Confluence Region in the NCAR Climate System Model. *J. Geophys. Res*, 105, 26167-26177, 2000.

Yu, Z., McCreary, J. P., Jr, Kessler, W. S., & Kelly, K. A. (2000). Influence of equatorial dynamics on the pacific north equatorial countercurrent. *Journal of Physical Oceanography*, 30(12), 3179-3190.

1999

21 Entries

Ambar, I., Armi, L., Bower, A., & Ferreira, T. (1999). Some aspects of time variability of the mediterranean water off south portugal. *Deep-Sea Research (Part I, Oceanographic Research Papers)*, 46(7), 1109-1136. doi:10.1016/S0967-0637(99)00006-0

Birol, F., and R. Morrow, 1999: A study of the south-east Indian Ocean from altimetric, wind and XBT data. *Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, 24, 387-391.

Chu, P. C., Lu, S., & Chen, Y. (1999). A coastal air-ocean coupled system(CAOCS) evaluated using an airborne expendable bathythermograph(AXBT) data set. *Journal of Oceanography*, 55(4), 543-558. doi:10.1023/A:1007847609139

Colosi, J. A., Scheer, E. K., Flatte, S. M., Cornuelle, B. D., Dzieciuch, M. A., Munk, W. H., et al. (1999). Comparisons of measured and predicted acoustic fluctuations for a 3250-km propagation experiment in the eastern north pacific ocean. *Journal of the Acoustical Society of America*, 105(6), 3202-3218. doi:10.1121/1.424650

- Denbo, D. W. (1999). EPIC utilities for management, display & analysis of ocean data. *Sea Technology*, 40(11), 38-43.
- Garzoli S., P. Richardson, C. Duncombe Rae, D. Fratantoni, G. Goni and A. Roubicek. Three Agulhas Rings Observed During the Benguela Current Experiment. *J. Geophys. Res.*, 104, 20971-20985, 1999.
- Giese, B. S., & Carton, J. A. (1999). Interannual and decadal variability in the tropical and midlatitude pacific ocean. *Journal of Climate*, 12(12), 3402-3418.
- Goni G., Terazaki, Ohtani, Sugimoto and Watanabe (Editors), Transport Estimates of the Kuroshio Current from Satellite Altimeter Data, in *Ecosystem Dynamics of the Kuroshio-Oyashio Transition Region*. Published by the Japan Marine Science Foundation, 1-8, 1999.
- Hu, D., & Yi, C. (1999). A global isopycnal OGCM: Validations using observed upper-ocean variabilities during 1992-93. *Monthly Weather Review*, Boston, MA, 127(5), 706-725.
- Paillet, J. (1999). Central water vortices of the eastern north atlantic. *Journal of Physical Oceanography*, 29(10), 2487-2503.
- Provost, C., Escoffier, C., Maamaatuaiahutapu, K., Kartavtseff, A., & Garcon, V. (1999). Subtropical mode waters in the south atlantic ocean. *Journal of Geophysical Research*, Washington, DC, 104(C9), 21033-21049.
- Rodriguez-Santana, A., Pelegri, J. L., Sangra, P., & Marrero-Diaz, A. (1999). Diapycnal mixing in gulf stream meanders. *Journal of Geophysical Research.C.Oceans*, 104(C11), 25891-25912.
- Schiller, A. (1999). How well does a coarse-resolution circulation model simulate observed interannual variability in the upper indian ocean? *Geophysical Research Letters*, 26(10), 1485-1488. doi:10.1029/1999GL900291
- Sprintall, J., & Roemmich, D. (1999). Characterizing the structure of the surface layer in the pacific ocean. *Journal of Geophysical Research.C.Oceans*, 104(C10), 23297-23311.
- Stoll, R. D., & Akal, T. (1999). XBP - tool for rapid assessment of seabed sediment properties. *Sea Technology*, 40(2), 47-52.
- Swenson, M. S., & Hansen, D. V. (1999). Tropical pacific ocean mixed layer heat budget: The pacific cold tongue. *Journal of Physical Oceanography*, 29(1), 69-82.

- Thadathil, P., Ghosh, A. K., Pattanaik, J., & Ratnakaran, L. (1999). A quality-control procedure for surface temperature and surface layer inversion in the XBT data archive from the Indian Ocean. *Journal of Atmospheric and Oceanic Technology*, 16(7), 980-982.
- Ushio, S., Takizawa, T., Ohshima, K. I., & Kawamura, T. (1999). Ice production and deep-water entrainment in shelf break polynya off Enderby Land, Antarctica. *Journal of Geophysical Research: Oceans*, 104(C12), 29771-29780.
- Vinayachandran, P. N., Masumoto, Y., Mikawa, T., & Yamagata, T. (1999). Intrusion of the southwest monsoon current into the Bay of Bengal. *Journal of Geophysical Research: Oceans*, 104(C5), 11077-11085.
- Waluda, C. M., Trathan, P. N., & Rodhouse, P. G. (1999). Influence of oceanographic variability on recruitment in the *Illex argentinus* (Cephalopoda: Ommastrephidae) fishery in the South Atlantic. *Marine Ecology Progress Series*, 183, 159-167.
- Wang, L., Koblinsky, C., Howden, S., & Huang, N. (1999). Interannual variability in the South China Sea from expendable bathythermograph data. *Journal of Geophysical Research: Oceans*, 104(C10), 23509-23523.