## 19890921 IL- DROPS

## E.6 Omega Dropwindsonde Scientist (On-board)

The on-board Lead Project Scientist (LPS) on each aircraft is responsible for determining the distribution patterns for sonde releases. Predetermined desired data collection patterns are illustrated on the flight patterns. However, these patterns often are required to be altered because of clearance problems, etc. Operational procedures are contained in the operator's manual. The following list contains more general supplementary procedures to be followed. (Check off and initial.)

E.6.1 Preflight

~~

- 1. Determine the status of equipment and report results to the onboard LPS.
- Confirm the mission and pattern selection from the LPS and assure that the proper number and distribution (frequency) of sondes are on board the aircraft.
- A
- 3. Complete the appropriate preflight calibrations and checklists.
- E.6.2 In-Flight



- 1. Operate the system as specified in the operator's manual.
- Obtain drop release approval (for each drop) from the OAO/Flight Director or Navigator for each specific time and location of drop.
- 3. Report to the LPS as soon as it is determined that the sonde is or is not transmitting a good signal.
- ALI
- 4. Report completion of each drop and readiness for the next drop.
- 5. Complete Form E-6.

## E.6.3 Postflight

- Complete the summary form for dropwindsondes.
  - 2. Brief the on-board LPS on equipment status and turn in reports and completed forms to the LPS.
    - 3. Hand-carry all dropwindsonde data tapes and printouts and inform the OAO/Flight Director that you are arranging delivery as follows:
      - a. Outside of Miami to the HRD operations center (FGOC).
      - b. In Miami to AOML/HRD (temporarily), either directly or via MGOC, for conversion to 9-track magnetic tapes.

 $\mathcal{D}$ 

- 4. Debrief at the appropriate operations center (FGOC or MGOC).
- 5. Determine the status of future missions and notify the appropriate operations center (FGOC or MGOC) as to where you can be contacted.

1989092121-DROPS

7. M.

FORM E-6

PAGE \_\_\_\_ OF \_\_\_\_

## AOML/HRD OMEGA-DROPWINDSONDE SCIENTIST LOG

FLIGHT:\_\_\_\_\_

ODW SCIENTISTS\_

STORM:\_\_\_\_\_

DROP	SONDE	TIME	ΙΔΤ	LON	WIND (M/S)	HEIGHT	TEMP	DEW PT	PRESSURE	REMARKS
ROP #	SONDE ID #	TIME GMT	L A T (°)	LON (°)	WIND (M/S) (WD/WS)	HEIGHT (GA)	(TA)	(TD)	PRESSURE (PS)	NEWARK5
:					and the second					
		Section 1				1				
-										
		and an		12. 3						
	and the second						S 14.			
_										
			100							
-										
		1.1.1.1	2			The second second	·			
			1			1.24	0.5.2	10000		
-										
								1. 1. 1. 1.		A CARLER AND AND A CARLER

OPERATOR \_

FORM E-6

PAGE \_\_\_\_ OF \_\_\_\_

AOML/HRD OMEGA-DROPWINDSONDE SCIENTIST LOG

FLIGHT: 8909211

ODW SCIENTISTS KILLOUGHBY

STORM: HUGO

		i de la	e secole		2	230945 OPERATOR					
DROP #	SONDE ID#	TIME GMT	LAT (°)	LON (°)	WIND (M/S) (WD/WS)	HEIGHT (GA)	TEMP (TA)	DEW PT. (TD)	PRESSURE (PS)	REMARKS	
i	10047	230945	214	78.7	224/1.0	3749	473.8	-7.2	609.9	TEMP BAD	
2		2323		78.8	353/5	3748	14.2	5.9	609.9		
3		005647		79.2	013/1	3718	14,4	6.7	611.7		
4	20128	021625	32.1	79.5	346/02	3665	14.9	6.9	615.3		
5	10043	032526	32.6	79.8	151/01	3815	13.4	6.3	605.4		
			1								
							· ·				
										· · · · · · · · · · · · · · · · · · ·	
							1				