

19980917H1-RADAR

## **E.5 Doppler Radar Scientist (On-Board)**

The on-board Doppler radar scientist (DRS) is responsible for data collection from all radar systems on his/her assigned aircraft. Detailed operational procedures and check lists are contained in the operator's manual supplied to each operator. General supplementary procedures follow. (Check off and initial.)

### **E.5.1 Preflight**

- \_\_\_\_\_ 1. Determine the status of equipment and report results to the on-board lead project scientist (LPS).
- \_\_\_\_\_ 2. Confirm mission and pattern selection from the on-board LPS.
- \_\_\_\_\_ 3. Select the operational mode for radar system(s) after consultation with the on-board LPS.
- \_\_\_\_\_ 4. Complete the appropriate preflight calibrations and check lists as specified in the radar operator's manual.

### **E.5.2 In-Flight**

- \_\_\_\_\_ 1. Operate the system(s) as specified in the operator's manual and as directed by the on-board LPS or as required for aircraft safety as determined by the AOC flight director or aircraft commander.
- \_\_\_\_\_ 2. Maintain a written commentary in the radar logbook of tape and event times, such as the start and end times of F/AST legs. Also document any equipment problems or changes in R/T, INE, or signal status.

### **E.5.3 Postflight**

- \_\_\_\_\_ 1. Complete the summary check lists and all other appropriate check lists and forms.
- \_\_\_\_\_ 2. Brief the on-board LPS on equipment status and turn in completed forms to the LPS.
- \_\_\_\_\_ 3. Hand-carry all radar tapes and arrange delivery as follows:
  - a. Outside of Miami - to the HRD Field Ground Operations Center (FGOC).
  - b. In Miami - to MGOC or to AOML/HRD. [Note: all data removed from the aircraft by HRD personnel should be cleared with the AOC flight director.]
- \_\_\_\_\_ 4. Debrief at the appropriate operations center (FGOC or MGOC).
- \_\_\_\_\_ 5. Determine the status of future missions and notify the appropriate operations center (FGOC or MGOC) as to where you can be contacted.

**Doppler Radar Scientist Check List**

Flight ID: 98091741

Aircraft Number: 42

Doppler Radar Operators: Dodge / Funderisen

Radar Technician: Jim Barr

Number of digital magnetic tapes on board: enough

**Component Systems Status:**

MARS \_\_\_\_\_

Computer \_\_\_\_\_

DAT1 \_\_\_\_\_

DAT2 \_\_\_\_\_

LF \_\_\_\_\_

R/T Serial # \_\_\_\_\_

TA \_\_\_\_\_

R/T Serial # \_\_\_\_\_

Time correction between radar time and digital time: \_\_\_\_\_

---

**Radar Postflight Summary**

Number of digital tapes used: 2      DAT1 \_\_\_\_\_

DAT2 \_\_\_\_\_

**Significant down time:**

DAT1 \_\_\_\_\_

Radar LF \_\_\_\_\_

DAT2 \_\_\_\_\_

Radar TA \_\_\_\_\_

**Other Problems:**

TA, LF froze at start (~1810), no problems after that.



## HRD Radar Down-Time Log

Operator \_\_\_\_\_ Flight ID \_\_\_\_\_ Sheet \_\_\_\_ of \_\_\_\_

[illegible]

Item List: DAT1, DAT2, COMP, MARS, LF, TA.

Include serial numbers of any new R/Ts.