## Radar Scientist

The on-board radar scientist is responsible for data collection from all radar systems on his/her assigned aircraft. Detailed operational procedures and checklists are contained in the operator's manual supplied to each operator. General supplementary procedures follow. (Check off or initial.)

Droflight

riein	giit				
_	1.	Determine the status of equipment and report results to the lead project scientist (LPS).			
	2.	Confirm mission and pattern selection from the LPS.			
	3.	Select the operational mode for radar system(s) after consultation with the LPS.			
	4.	Complete the appropriate preflight calibrations and check lists as specified in the radar operator's manual.			
In-Fli	ght				
	1.	Operate the system(s) as specified in the operator's manual and as directed by the LPS or as required for aircraft safety as determined by the AOC flight director or aircraft commander.			
	2.	Maintain a written commentary in the radar logbook of tape and event times such as the start and end times of F/AST legs. Also document any equipment problems or changes in R/T, INE, or signal status.			
Post fl	light				
	1.	Complete the summary checklists and all other appropriate forms.			
	2.	Brief the LPS on equipment status and turn in completed forms to the LPS.			
	3.	Hand-carry all radar tapes and arrange delivery as follows:			
		<ul> <li>a. Outside of Miami-to the LPS.</li> <li>b. In Miami-to MGOC or to AOML/HRD. [Note: all data removed from the aircraft by HRD personnel should be cleared with the AOC flight director.]</li> </ul>			
	4.	Debrief at MGOC or the hotel during a deployment.			
	5.	Determine the status of future missions and notify MGOC as to where you can be contacted.			

HRD Radar Scientist Check List
Flight ID: 0567151
Aircraft Number: 43
Radar Operators: Dodg ©
Radar Technician: J. Barr
Number of digital magnetic tapes on board:
Component Systems Status:
MARS Computer
DAT1 DAT2
LF R/T Serial #
TA R/T Serial #
Time correction between radar time and digital time:
Radar Post flight Summary
Number of digital tapes used: DAT1
DAT2
Significant down time:
DAT1 Radar LF
DAT2 Radar TA
Other Problems:
Some minor outages. All in all
Some minor outages. All in all radar data look good.

## **HRD Radar Event Log**

Flight	Aircraft	Operator	_Sheet of
	LF RPM	TA RPM	

(Include start and end times of DATs, as well as times of F/AST legs and any changes of radar equipment status)

Tape #	F/AST On?	Event Time (HHMMSS)	Event
1	-	0508	TAPE START
		0546	Moders &
		0551	radars up -
		703	down
		705	up
		801	down
		804	UP
	NO	814	Continuous for ERZ lea
		846	DOWN
		850	up
	YES	852	resume F/ASZ scampy
		1205	END TAPE
Nu. Ti. Sa			