	Radar Scientist
	90828II Storm Name TS, Danny
Radar Scient	tist P. Loighton Radar Technician B. Peck
on his/her ass	oard radar scientist is responsible for data collection from all radar systems signed aircraft. Detailed operational procedures and checklists are contained or's manual. General supplementary procedures follow. (Check off or initial.)
Preflight	
1.	Determine the status of equipment and report results to the lead project scientist (LPS).
2.	Confirm mission and pattern selection from the LPS.
1/1/3.	Select the operational mode for radar system(s) after consultation with the LPS.
H) 4.	Complete the appropriate preflight calibrations and check lists as specified in the radar operator's manual.
In-Flight	
1.	Remind the AOC data technician to start the radar capture files.
2.	Operate the system(s) as specified in the operator's manual and as directed by the LPS or as required for aircraft safety as determined by the AOC flight director or aircraft commander.
J. 3.	Maintain the Radar Scientist's form as well as a written commentary in the radar logbook of tape and event times, such as the start and end times of F/AST legs. Also document any equipment problems or changes in R/T, INE, or signal status.
Post flight	
1.	Complete the summary checklists and all other appropriate forms.
1/18 2.	Obtain from the AOC data technician all radar tapes and give him a thumbnail drive to download the radar capture files.
<u>W</u> 3.	Brief the LPS on equipment status and turn in completed forms, the thumbnail drive, and all radar tapes to the LPS. [Note: all data removed from the aircraft by

HRD personnel should be cleared with the AOC flight director.]

Determine the status of future missions and notify MGOC as to where you can be

Debrief at the base of operations.

contacted.

Fligh	nt ID: 090	08 285	I/			
Rada	r Operators: _	B. FE	Bell			
Rada	r Operators: _	Pi Le	ghter			
	ber of DAT ta					
Component Systems	Status(Up ↑, D	own ↓, Not	Available N/A	Not Used O):		
Device	Pre-flight	In-flight	Post-flight	R/T Serial #		
Radar Computer	1	31				
DAT drives	1	9		THE C		
Lower Fuselage antenna	7	9				
Tail Antenna	7	9				
Time correc	tion between ra	adar time an	d digital time:			
	Radar Pos	t flight Sum	mary			
	Radai 1 03	i ingiti buiii	iniai y			
Number of DAT tapes used	l:					
Significant down time:						
Radar Computer Radar LF						
DAT drives Radar TA						
Other Problems:						

HRD Radar Scientist Check List

HRD Radar Event Log

Flight ID Storm Name To Dany Radar Scientist P. Leyha Radar Technician	Sheet of
Radar Scientist P. Leytra Radar Technician_	13 Peek
LF RPM TA RPM	10

(Include start and end times of recording as well as times of F/AST legs and any changes of radar equipment status)

Tape #	F/AST On?	Event Time (HHMMSS)	Event
0818	Yos	081500	that records
$\frac{1}{1}$		121000	end recording
1/2 /			

Doppler Wind parameters

Doppler flight-leg notes (for use in automatic QC and analysis) FLIGHT ID: Doppler flight-leg notes (for use in automatic QC and analysis) Scientist: Regume													
Leg Start Time	Leg End Time	Storm N	Motion	Time	Center Fix	Longitude	Max Radius (km)	Horz. Res (km)	Inbound track	Outbound track	ja?	Angle check?	Sent?
HHMMSS	HHMMSS	Degrees	Knots	HHMMSS	(Deg/Min)	(Deg/Min)	49/98/147/196	1/2/3/4	Azimuth (deg)	Azimuth (deg)	H/TS	(Y/N)	(Y/N)
101006	1630	305	5	182066	26,0	73.0	#96	4	270	0			
	9 1	No.											
	ti.												
		X											
								,					