Flight ID 20130914I1 Storm INORID LPS UHLHORN					
		20130914I1 Storm INTORID LPS UHLHORN			
Prefli	gnt				
	1.	Participate in general mission briefing.			
-	2.	Determine specific mission and flight requirements for assigned aircraft.			
	3.	Determine from AOC flight director/meteorologist whether aircraft has operational fix responsibility and the mission designation.			
	4.	Contact HRD members of crew to: a. Assure availability for mission. b. Review field program safety checklist c. Arrange ground transportation schedule when deployed. d. Determine equipment status.			
	5.	Meet with AOC flight director and navigator at least 3 hours before take-off for initial briefing.			
-	5.	Meet with AOC flight crew at least 2 hours before take-off for crew briefing. Provide copies of flight requirements and provide a formal briefing for the flight director, navigator, and pilots.			
	6.	Report status of aircraft, systems, necessary on-board supplies and crews to HFP Director.			
	7.	Before take-off, brief the on-board GPS dropsonde operator on times and positions of drop times.			
	7.	Make sure each HRD flight crew member has a life vest.			
	7.	Perform a headset operation check with all HRD flight crew members. Make sure everyone can hear and speak using the headset.			
In-Fli	ght				
	1.	Confirm from AOC flight director that satellite data link is operative.			
	2.	Confirm camera mode of operation.			
	3.	Confirm radar recording set-up.			
	4.	Confirm data recording rate.			
	5.	Complete Lead Project Scientist Form.			
	6.	Check in with the flight director to make sure the mission is going as planned (i.e. turns are made when they are supposed to be made).			
Post fl	light				
	1.	Debrief scientific crew.			
	2.	Gather completed forms for mission and bag separately from other missions. Turn in to data manager at HRD.			
	5.	Copy serial flight data, dropsonde files, and radar data onto thumb drive. Turn in with completed forms.			
	6.	Report landing time, aircraft, crew, and mission status along with supplies (tapes, etc.) remaining aboard the aircraft to HFP Director.			
	7.	Determine next mission status, if any, and brief crews as necessary.			
	8.	Notify HFP Director as to where you can be contacted and arrange for any further coordination required.			
	9.	Prepare written mission summary using Mission Summary form.			

Lead Project Scientist Check List Experiment name TDR/Chang Fest Storm or Project Aircraft NOAA 43 Flight ID 2013 091 Date __ Mission ID A910A A. Participants: AOC HRD Participant **Participant** Function **Function** Lead Project Scientist
Radar VWV CVV C Flight Director worn **Pilots** Navigator Dropwindsonde Systems Engineer Sea-Air Data Technician Photographer/Observer/ Guests (give affiliation) Electronics Technician **Cloud Physics** Other (B. Take-off and Landing Times and Locations: Take-Off: 740 UTC Location: FM(F Landing: ____UTC Location: ____ Number of Eye Penetrations: _____ C. Past and Forecast Storm Locations: Longitude MSLP Maximum Date/Time Latitude Wind

E. —Equipment Status (Up ↑, Down ↓, Not Available —, Not Used O)

Equipment	Pre-Flight	In-Flight	Post-Flight	Number of Expendables
Radar/LF				
Doppler Radar/TA				
Cloud Physics				
Data System				
GPS sondes				
AXBT/AXCP		A		· Billion and I have
Ozone instrument		The same of		
Cameras				
Other ()				

D. Mission Briefing:

- figure 4 in Ingrid

- sondes at turn/mid/center/RMWs

- BT paired with sondes at

turn/mid/center

- gratuitous pennies for P.F. at end

AFP

EIP

2251 93 95

Lead Project Scientist Event Log

Date	Flight ID	LPS	
To co co			

Time	Event	Position	Comments	
1740	1/0	KMCF		
2000	descend to	2145 92 17		
	8/4			
201036	DOPO BTO	2108 9237		
202422	Drop BT (2)	2108 93 34		
203223	Prop(3)	2109 9408	EEW	
2035	DOO O	2/3 9421	E E/W	1%
202905	DOP (3) BT(3)	2120 9432	Carter 984 ms	P
	,		NO WE/W DOS	
205029	Drop(6) BT(4)	2120 9523	W mid point	_
205759	Drop (7) 13T(5)	21 19 95 59	No. of the second	9.
2/2715	DUDG BL(P)	1949 9429		23
213719	DOP(9) BTO	2031 9431	mid pt 5 857 27	. 5
214335	DISP(TO)	20.58 94 31	5 5/0	
2150 26	10 Cop (11) 15 T(8)	2/16 9438	Center 28.7	
215454	Dap (T)	21 45 94 38	N E/W	
220250	Drop (3) 1379	22 16 94 36		
2208 17	Prop (14) BT (3)	22 40 94 35	C-lack B.	
227422	Pap (1)	21 45 94 27	Cofest Reggy)
224946	Trop (16)		C-FBF PERG)
(2)073.7	(orop ()	21 48 94 27	Done with CFEST	
2320			Done with CTCS	
			10115	
,				

E/N Convect (
Pr N6

Side (