```
Delivered-To: rick.lumpkin@noaa.gov
Received: by 10.182.238.70 with SMTP id vi6csp18908obc;
        Mon, 22 Oct 2012 14:04:29 -0700 (PDT)
Received: by 10.50.169.36 with SMTP id ab4mr10575999igc.66.1350939869308;
       Mon, 22 Oct 2012 14:04:29 -0700 (PDT)
Return-Path: <shaun.dolk@noaa.gov>
Received: from psmtp.com (na3sys009amx184.postini.com [74.125.149.165])
        by mx.google.com with SMTP id
bf10si14702709pab.21.2012.10.22.14.04.28
        (version=TLSv1/SSLv3 cipher=OTHER);
        Mon, 22 Oct 2012 14:04:29 -0700 (PDT)
Received-SPF: neutral (google.com: 74.125.149.247 is neither permitted nor
denied by best guess record for domain of shaun.dolk@noaa.gov)
client-ip=74.125.149.247;
Authentication-Results: mx.google.com; spf=neutral (google.com:
74.125.149.247 is neither permitted nor denied by best guess record for
domain of shaun.dolk@noaa.gov) smtp.mail=shaun.dolk@noaa.gov
Received: from na3sys009aog131.obsmtp.com ([74.125.149.247]) (using
TLSv1) by na3sys009amx184.postini.com ([74.125.148.10]) with SMTP;
     Mon, 22 Oct 2012 21:04:28 GMT
Received: from mail-yh0-f54.google.com ([209.85.213.54]) (using TLSv1) by
na3sys009aob131.postini.com ([74.125.148.12]) with SMTP
     ID DSNKUIW01qugBwO1da7vn60vpbKcK1a0EgYY@postini.com; Mon, 22 Oct
2012 14:04:28 PDT
Received: by mail-yh0-f54.google.com with SMTP id s35so581085yhf.41
        for <rick.lumpkin@noaa.gov>; Mon, 22 Oct 2012 14:04:22 -0700 (PDT)
X-Google-DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=content-type:mime-version:subject:from:in-reply-to:date
         :content-transfer-encoding:message-id:references:to:x-mailer
         :x-qm-message-state;
        bh=dbpax2dvyxfF1vQz0X31RAJxtmr8IwLNAMFm59wycBM=;
b=R1GGKLvdzszkBRFD7XiHUE/9qBfX/2paeKPI3NUmGjQxGmHK1CO2jOEt2aF/d01/zu
169IKYFaW3F9dHAsbkTt+J4kVn74/k4Me9Raeq3f8a0MtRe4u3hRaL1C3Pmk1zNpaI/0
pq8jCIbF94pIvtqRcHlyFoG7fKHae5HGLbF6y4MLy5Udh7O5MdI0ANqSIHVtSx90isfi
4BBM9nSm8pXNLqj7EZ67Bx612pTEG7WDDOX20IeSNKWpXbmj9VfK8iFPyxoQziRD1cAD
dQLtJ+1yUA861y2bwE3WSZOChUju1I6D0c42+Kp+SU4WQsRrQam7Hc/VHQMdW0XCbEj+
         3vjA==
Received: by 10.101.3.26 with SMTP id f26mr2984202ani.0.1350939862126;
        Mon, 22 Oct 2012 14:04:22 -0700 (PDT)
Return-Path: <shaun.dolk@noaa.gov>
Received: from srd.aoml.noaa.gov (inferno.aoml.noaa.gov.
[192.111.123.247])
        by mx.google.com with ESMTPS id
z28sm10043718yhh.7.2012.10.22.14.04.18
        (version=TLSv1/SSLv3 cipher=OTHER);
        Mon, 22 Oct 2012 14:04:21 -0700 (PDT)
```

Content-Type: text/plain; charset=iso-8859-1 Mime-Version: 1.0 (Mac OS X Mail $6.2 \setminus (1499 \setminus)$) Subject: Re: Drifters From: Shaun Dolk <shaun.dolk@noaa.gov> In-Reply-To: <CAMbX9tYNT8kLR7SqE OFJvRaNKxceMsc74CM3FoDinJQq5r AQ@mail.qmail.com> Date: Mon, 22 Oct 2012 17:05:37 -0400 Content-Transfer-Encoding: quoted-printable Message-Id: <85AA971B-748F-4537-AA08-0F833AF1B104@noaa.gov> References: <CAMbX9tYNT8kLR7SqE OFJvRaNKxceMsc74CM3FoDinJQq5r AQ@mail.qmail.com> To: Rick F Lumpkin <rick.lumpkin@noaa.gov> X-Mailer: Apple Mail (2.1499) X-Gm-Message-State: ALoCoQkgqLp24qFb59qCwil0DjvcYLm8qI3zIV/mKUIuI1YZNLNi9V3/fxGEMs7H/Lt4UW Rv7wMG X-pstn-levels: (S:99.90000/99.90000 CV:99.9000 FC:95.5390 LC:95.5390 R:95.9108 P:95.9108 M:97.0282 C:98.6951) X-pstn-dkim: 0 skipped:not-enabled X-pstn-settings: 1 (0.1500:0.0015) cv GT3 gt2 gt1 r p m c X-pstn-addresses: from <shaun.dolk@noaa.gov> [db-null] X-pstn-nxpr: disp=neutral, envrcpt=rick.lumpkin@noaa.gov X-pstn-nxp: bodyHash=c5def63713267d59dc6078380c1fa9ef55a9dcf0, headerHash=02a9aca331d8f6da158224ff08df9154c5416faa, keyName=4, rcptHash=9ed437bb2697b93b6e27fc1698c05229f9e0ed45, sourceip=74.125.149.247, version=1 Hi Rick, Will you please review the drafted email below. I'm not sure what you and Richard have discussed thus far, so I don't = want to speak out of turn.=20 Please let me know what changes you'd like made.=20 -Shaun Hello Richard, Because the Global Drifter Program is closely linked with meteorological agencies around the world, these partnerships entail open dialog and = regular communication about what deployment opportunities (i.e., ships) are available. It is true that we're constantly looking to fill data = gaps and replenish areas of need, but these needs are regularly met = through ties with communities such as the Ship of Opportunity Program = (SOOP), Volunteer Observing Ship Program (VOS), Port Meteorological = Officers (PMO's), etc. Through these groups, the Global Drifter Program and it's affiliates target container ships and university-owned research

vessels to conduct drifter deployments. Of course, these opportunities = are in addition to the primary contributions from each agency-affiliated

vessel(s).=20

I hope this information is helpful. Should you require additional = information, or further clarification, please let me know. Thank you, Shaun=20

Shaun R. Dolk NOAA/AOML/PhOD 4301 Rickenbacker Cswy Miami, Florida U.S.A. 33149

Office: 305.361.4546 Fax: 305.361.4439

Email: Shaun.Dolk@noaa.gov

On 22 Oct, 2012, at 12:27 PM, Richard Mannix <richard.mannix@noaa.gov> = wrote:

> Hi Shaun -- I've been communicating with Rick about our responses on = the ocean dumping incident. One thing that might help us is that other =

nations also deploy drifters using private vessels or that they =
cooperate with us in some other way to get the devices to where they are
=

needed. Can you give me any information on that? Thanks.