





500MB LOW

KJY 74

| A/C COMMANDER |                       | NAVIGATOR |          | A/C NO.                    |            | MISSION NO.      |              | TIME AIRBORNE         |          | LOCATION                            |  | DATE           |  | PROJ. NAME    |  |
|---------------|-----------------------|-----------|----------|----------------------------|------------|------------------|--------------|-----------------------|----------|-------------------------------------|--|----------------|--|---------------|--|
| GUNNOE        |                       | ADAMS     |          | C-130                      |            | 770902           |              | 1209                  |          | MIA<br>N25-48.3<br>W080-17.6        |  | 2 Sept<br>1977 |  | AXB7<br>ANITA |  |
| TIME OF ENTRY | POSITION              | CONF FACT | TYPE NO. | CANONICAL DOPPLER POSITION | LA LO CORR | STA OR REF POSN. | TRUE BEARING | RANGE READING         | CORR     | REMARKS                             |  |                |  |               |  |
| 1200          | N25-48.3<br>W080-17.6 |           |          | N25-48.3<br>W080-17.5      | 0<br>+1    |                  |              | N25-48.1<br>W080-17.0 | +2<br>+6 | Block out                           |  |                |  |               |  |
| 1209          | N25-48.3<br>W080-17.6 |           |          | N25-48.1<br>W80-17.6       | +2<br>0    |                  |              | N25-48.0<br>W080-17.1 | +3<br>+5 | TOFF CH255<br>T: 1217<br>CH246 1223 |  |                |  |               |  |
| 1238          |                       |           |          | N25-52.9<br>W81-51.0       |            |                  |              | N25-53.1<br>W81-50.6  |          | MARCI                               |  |                |  |               |  |
| 1310          |                       |           |          | N26-02.0<br>W84-31.6       |            |                  |              | N26-02.2<br>W84-31.8  |          | EPSON                               |  |                |  |               |  |
| 1324          |                       |           |          | N26-04.2<br>W85-45.0       |            |                  |              | N26-04.4<br>W85-45.0  |          | MINOW CH260<br>T: 1325              |  |                |  |               |  |
| 1358          |                       |           |          | N25-39.7<br>W088-45.1      |            |                  |              | N25-40.4<br>W088-45.0 |          | KIPPA                               |  |                |  |               |  |
| 1422          |                       |           |          | N25-03.7<br>W090-42.1      |            |                  |              | N25-05.3<br>W090-42.4 |          | PTA                                 |  |                |  |               |  |
| 1437?         |                       |           |          | N25-48.5<br>W090-40.0      |            |                  |              | N25-50.0<br>W090-40.1 |          |                                     |  |                |  |               |  |
| 1453          |                       |           |          | N25-39.4<br>W90-00.1       |            |                  |              | N26-00.7<br>W90-00.0  |          | PTB                                 |  |                |  |               |  |
| 1505          |                       |           |          | N26-09.7<br>W090-39.4      |            |                  |              | N26-11.1<br>W91-39.3  |          |                                     |  |                |  |               |  |
| 1543          |                       |           |          | N27-58.9<br>W090-40.2      |            |                  |              | N28-01.8<br>W090-40.3 |          | CH190 T: 1545                       |  |                |  |               |  |
| 1648          |                       |           |          | N24-48.2<br>W092-19.4      |            |                  |              | N24-52.2<br>092-19.5  |          |                                     |  |                |  |               |  |
| 1757          |                       |           |          | N27-28.1<br>W092-17.4      |            |                  |              | N27-33.7<br>W092-16.4 |          | PTE                                 |  |                |  |               |  |
| 183021        |                       |           |          | N25-53.2<br>W093-06.7      |            |                  |              | N26-00.6<br>W093-05.7 |          | CH255                               |  |                |  |               |  |

TYPE OF FIX. (1) DR. (2) RADIO (3) CELESTRAL (4) VISUAL (5) LORAN (6) RADAR  
(7) DOPPLER (8) OMEGA

CONFIDENCE FACTOR (Nautical Miles) (1-5,1) (6-10,2) (11-15,3) (16-UP,4)

