

RADAR PREFLIGHT CHECKLIST

FLIGHT # 800808H

A.C. # 42 RF

OPERATOR AKRISH

AUG 8 1980

RADAR TECH SIMMS

NUMBER OF DIGITAL MAGNETIC TAPES ONBOARD 15+.

NUMBER OF VIDEO TAPES ONBOARD —.

NUMBER OF TAPE LABELS ON BOARD 20+.

COMPONENT SYSTEMS UP AND CHECKED.

RDSC	<u>✓</u>	VTR	<u>—</u>
COMPUTER	<u>✓</u>	DSC1	<u>✓</u>
DMTR1	<u>✓</u>	DSC2	<u>✓</u>
DMTR2	<u>✓</u>	SCOPES	<u>—</u>

NO	<u>✓</u>
LF	<u>—</u>
TA	<u>✓</u>

Time correction between radar time and digital time 0

RADAR POSTFLIGHT SUMMARY

NUMBER OF DIGITAL TAPES USED DMTR 1 4
DMTR 2 4

NUMBER OF VIDEO TAPES USED —.

SIGNIFICANT RECORDER DOWN TIME (other than for tape changes).

DMTR: LF _____
NO _____
TA _____

VTR: LF _____
NO _____
TA _____

OTHER PROBLEMS: (stabilization, interference, etc.)

NHEML RADAR TAPE LOG

AUG 8 1980


 FLIGHT 800808H

 AIRCRAFT 42RF


 OPERATOR PARRISH

 SHEET 1 OF 1


TAPE #	TIME ON	TIME OFF	SOURCE RADARS			REWOUND?		COMMENTS
			NO	TA	LF	YES	NO	
1-1	170030	~182000		.	-	-	-	PAINTING FLORIDA ON WAY OUT
								170330 (TILT 0) / 170400 (TILT +1.0)
								170430 (TILT +2.0) / 170500 (TILT +3.0)
								170530 (TILT +4.0) / 170600 (TILT +5.0)
								170600 (TILT +6.0) / 170700 (BACK TO +2.)
Z-1	182318	190100		✓				
Z-1	190104	191430		✓	✓	✓		SHORT STOP TO ACK UP TAIL RADAR
1-2	191433	200605		✓	✓	-		DISTINCTIVE RAIN FREE AREA, ~60 MILES WIDE, BETWEEN EYE WALL & NEXT RAIN BAND
Z-2	200608	205226		✓	✓	-		
1-3	205230	213950		✓	✓	-		
Z-3	213950	222930		✓	✓	✓		~2205Z - SPORATIC BANDING COMING FROM AIRCRAFT EXTERIOR AFTER OUTBOUND TRIP THRU. EYE WALL - SEEMS TO BE BEDDINGTON RADAR STATION (ME) ~2225Z - SECURED FROM PAINTER HEADING BACK TO MIAMI WITH BROKEN PLATE.
1-4	222933	230300		✓	✓			
1-4	230302	~233000 EDT		✓		✓		PAUSE TO STOP RECORDING TAIL RADAR
Z-4	233433	003410		✓		✓		PAINTING FLORIDA, KEYS 002730 - TILT -1 002830 - TILT 0 002930 - TILT +1 003030 - TILT BACK TO 0



190215/282.5/+0.5




191150/283.5/+0.5/3X




192234/299.7/+1.5/4X


42RF
800808H(1)




194453/101.0/+0.5/2X




195000 / 85.0



200406 / 209.7 / +1.5 / 2X




201820 / 5.9 / +1.0 / 3X




800808H(2)

202255 / 3412




205305/188.0

ALTITUDE - 5256 METERS




205655/126.7/+1.0/2X




212525/282.0/+1.0/2X


800808H(3)




215240/101.4/+1.0/2X




221030 / 208.6 / +1.0 / 3X



222316 / 317.5 / +1.0 / 2X



224630 / 80.6 / +1.0 / 2X



800808H(4)

225947 / 87.9 / +0.5 WHILE IZOTREATING