1989090511_DROPS

AOML/HRD OMEGA-DROPWINDSONDE SCIENTIST LOG

FLIGHT:	890905II	
STORM:	Gabrielle	

	FORM E-6
	PAGE OF
TIST LOG	SEP 5 1989
ODW SCIENTISTS_	Marles
	Willoughley
	Willis

OPERATOR _

DROP #	SONDE ID #	TIME GMT	LAT (°)	LON (°)	WIND (M/S) (WD/WS)	HEIGHT (GA)	TEMP (TA)	DEW PT. (TD)	PRESSURE (PS)	REMARKS
1	01477	2041	2057	70°20	69/10	3818	7.0	-23 /	646.5-	SOMOR STUCK FOR SMI
2	20609	2139	2317,2	74°29;	067/10	3889	5.0	- 12.3	643.5	
			ale internet	and the second	And Andrew Street					
								23.96		
				A State States						
The states	Aller a stand	1992 "A	alforenta e com		and the second second second		Section and the	in require in		
			and a star		10.00					
1.1.1		2 3 3		Constant Specific			No. 1997	Page 19		
						er gestingen anderen a Anderen anderen a				a secondaria. Taka
- Children										
				Call!						
									1	

FORM E-6

PAGE _____ OF _____

AOML/HRD OMEGA-DROPWINDSONDE SCIENTIST LOG

.

FLIGHT:_____

Charles - Standing - Sanda

STORM : _____

SEP 5 1989

DROP #	SONDE ID #	TIME GMT	LAT (°)	LON (°)	WIND (M/S) (WD/WS)	HEIGHT (GA)	TEMP (TA)	DEW PT. (TD)	PRESSURE (PS)	REMARKS
:										
					1000					
		and the								
-										
							,			
										·
_										
						÷.				
								-		di.

OPERATOR

ODW SCIENTISTS

E.6 Omega Dropwindsonde Scientist (On-board)

The on-board Lead Project Scientist (LPS) on each aircraft is responsible for determining the distribution patterns for sonde releases. Predetermined desired data collection patterns are illustrated on the flight patterns. However, these patterns often are required to be altered because of clearance problems, etc. Operational procedures are contained in the operator's manual. The following list contains more general supplementary procedures to be followed. (Check off and initial.)

E.6.1 Preflight

- /
- Determine the status of equipment and report results to the onboard LPS.
- Confirm the mission and pattern selection from the LPS and assure that the proper number and distribution (frequency) of sondes are on board the aircraft.
 - 3. Complete the appropriate preflight calibrations and checklists.

E.6.2 In-Flight

- 1. Operate the system as specified in the operator's manual.
- 2. Obtain drop release approval (for each drop) from the OAO/Flight Director or Navigator for each specific time and location of drop.
- 3. Report to the LPS as soon as it is determined that the sonde is or is not transmitting a good signal.
- Report completion of each drop and readiness for the next drop.
 - 5. Complete Form E-6.

E.6.3 Postflight

- Complete the summary form for dropwindsondes.
- Brief the on-board LPS on equipment status and turn in reports and completed forms to the LPS.
 - Hand-carry all dropwindsonde data tapes and printouts and inform the OAO/Flight Director that you are arranging delivery as follows:
 - a. Outside of Miami to the HRD operations center (FGOC).
 - b. In Miami to AOML/HRD (temporarily), either directly or via MGOC, for conversion to 9-track magnetic tapes.

- 4. Debrief at the appropriate operations center (FGOC or MGOC).
- -----

5. Determine the status of future missions and notify the appropriate operations center (FGOC or MGOC) as to where you can be contacted.

	TEMP DROPWI	INDSONDE COMMUNIC	CATION WORKSH	IEET	9/6/88
(MANOP HEAD	DING)	UZNTI3 KMIA			
AIRCRAFT STORM	/MISSION # NAME	NOAA			ов
XXAA = 552273 00/3/527200 070235889999	99233\$ 06008\$ 0779999\$ CNTR "T"	70745 \$p 35556 \$p 20	112 * 9990 067 * 053	525°07019	
	_		<u>\</u>		-\\
NOTE: SCR	ATCH OUT ALL U	NUSED CODE BLOCK	S ←		
MONTH, DAY	09/05				DROP #
LAUNCH TIM	E (hhmm GMT):	2139			2
LAT (°N):	23.30 LON	(°W): 74.50			
LAUNCH PRE	SSURE (mb):	643.5 GA (M	1: 3889		SED 5 theo
LAUNCH TEM	P (°C): 5.0	DEW PT (°	c): <u>-/2.3</u>	<u>-</u>	021 0 1989
	·	SONDE	DATA		
	PRESSURE	TEMP (°C)	RH (%)	WD/WS (m/s)	
	400				
	500				•
	600				
	700	9.0	51	069/12	
1011	850	20.0 .	48	055/13	
SPLASH PR: 1014	1000	27.1	100	061/04	
DROSTATIC PR: 1014.7	SFC=1014	28.4	99		
	IF WIND .GE.	31 m/s IS OBSERV	ED ABOVE 500	mb:	
	MAX WIND (D,	(S): N/A	LEVEL (MB)):	

		leet	9/6/88			
	(MANOP HEAD	ING)	UZNTI3 KMIA			
	AIRCRAFT # STORM	/MISSION # NAME	NOAA			_ OB
X X A A ² 00/08 *p 05527 *p 	552//2* 274//2* 889999 	992095 4423 27992 CNTR "T" CNTR "T" CNTR "T" CNTR "T"	ØZØ3 ₽ ₽₽₽₽ ₽₽₽₽₽₽₽ ₩SED CODE BLOCK		2/2⁵₽2862 225⁵₽ZØ/0 \	DROP #
	MONTH, DAY:	9/05				1
	LAUNCH TIME	E (hhmm GMT):	2041			
	LAT (°N):	20,95 LON	(°W): 70.33	. 7010		
	LAUNCH PRES	SSURE (mb): $\underline{\bigcirc}$	DEW DT ((): -23 (SEP 5 1989
	LINUX IIII		SONDE	DATA		
		PRESSURE	TEMP (°C)	RH (%)	WD/WS (m/s)	
		400				
		500				•
		600				
	95	700	9.3	35	054/14	
	420	850	16.7 .	100	639/13	
W SPLASH PR:	1014 100	1000	27.4	90	041/12	
	· IAIT	1.12		OIC!		1