# 1999091911- RADAR

### E.5 Doppler Radar Scientist (On-Board)

The on-board Doppler radar scientist (DRS) is responsible for data collection from all radar systems on his/her assigned aircraft. Detailed operational procedures and check lists are contained in the operator's manual supplied to each operator. General supplementary procedures follow. (Check off and initial.)

## E.5.1 Preflight

1.

- Determine the status of equipment and report results to the on-board lead project scientist (LPS).
- 2. Confirm mission and pattern selection from the on-board LPS.
- 3. Select the operational mode for radar system(s) after consultation with the HRD/DRS and the on-board LPS.
- 4. Complete the appropriate preflight calibrations and check lists as specified in the radar operator's manual.

## E.5.2 In-Flight

1. Operate the system(s) as specified in the operator's manual and as directed by the HRD/DRS, unless superseded by directions from the on-board LPS or as required for aircraft safety as determined by the OAO flight director or aircraft commander.

## E.5.3 Postflight

- 1. Complete the summary check lists and all other appropriate check lists and forms.
- 2. Brief the on-board LPS on equipment status and turn in completed forms to the LPS.
- 3. Hand-carry all radar tapes and arrange delivery as follows:
  - a. Outside of Miami to the HRD operations center (FGOC).
  - b. In Miami to MGOC or to AOML/HRD. [Note: all data removed from the aircraft by HRD personnel should be cleared with the OAO flight director.]
- 4. Debrief at the appropriate operations center (FGOC or MGOC).
- Determine the status of future missions and notify the appropriate operations center (FGOC or MGOC) as to where you can be contacted.

Form E-5 Page 1 of 3

		Doppler Radar S	Scientist Che	ck List						
	Flight ID	89091	890919 II							
	Aircraft #	NA3RF								
	Operators	Lights G	amache							
	Radar Tech.	Zyuch			_					
Number	of digital mag	netic tapes on bo	bard14							
Number	of tape labels	on board	2	<u> 1967</u>	<u> (79)</u>					
Component systems up and checked:										
	MARS	~	Computer	/						
	DMTR1		DMTR2	/						
	LF <u>?</u>		R/T#	100000						
	ТА	/	R/T#							
Time correction between radar time and digital time <u>Loclar 11/2 Sac</u> , alread										
		Radar Post	flight Summa	ry						
Number	of digital tape	s used:	DMTR1							
			DMTR2							
Significa	ant recorder do	own time:								
	DMTR 1		Radar LF							
	DMTR 2		Radar TA		<u></u>					

1939091921- RAPAR

Other problems:

Form E-5 Page 2 of 3

HRD Radar Tape Log

Flight <u>8909191</u> Aircraft <u>N43RF</u> Operator <u>Gamache</u> Sheet of \_\_\_\_ 2010 Time Off Tape # Time On Comments 2010 20 194630 2015 ITI twn a 951 10 42100 2710? 2 Poure 2122 1 72 2110 n D 21 12153 213430 RU 13 21 223530 2204 2315 Radar sys 223530 14 down for fina then 31

Form E-5 Page 3 of 3

HRD Radar Down-Time Log

Operator <u>Comache</u>			Sheet of		
Item	Time Down	Time Up	Problem		
	Earlier Kay 1850	1945	LF down RAT problems		
	2122		Lightning stikes power glie		
	2153		Radar data sys. down		
	2315		Radar data sys. down for		
			last time		
			and the second sec		
	-				

Item List: DMTR1, DMTR2, COMP, RDSC, LF, TA, DSC1, DSC2.