C	8083(I) Radar Scientist
Flight ID	Radar Scientist J. Zhang / P local to us
The on-	board radar scientist is responsible for data collection from all radar systems
in the oper	assigned aircraft. Detailed operational procedures and checklists are contained
follow. (Ch	ator's manual supplied to each operator. General supplementary procedures eck off or initial.)
Preflight	
Freinght	A A
1.	Determine the status of equipment and report results to the lead project scientist (LPS).
2.	Confirm mission and pattern selection from the LPS. French Amene
<u>X</u> 3.	Select the operational mode for radar system(s) after consultation with the LPS. 2400 PRI
<u>X</u> 4.	Complete the appropriate preflight calibrations and check lists as specified in the FAST radar operator's manual.
In-Flight	
1.	Operate the system(s) as specified in the operator's manual and as directed by the LPS or as required for aircraft safety as determined by the AOC flight director or aircraft commander.
<u>×</u> 2.	Maintain a written commentary in the radar logbook of tape and event times, such as the start and end times of F/AST legs. Also document any equipment problems or changes in R/T, INE, or signal status.
Post flight	
<u>X</u> 1.	Complete the summary checklists and all other appropriate forms.
<u>X</u> 2.	Brief the LPS on equipment status and turn in completed forms to the LPS.
3.	Hand-carry all radar tapes and arrange delivery as follows:
	 a. Outside of Miami-to the LPS. b. In Miami-to MGOC or to AOML/HRD. [Note: all data removed from the aircraft by HRD personnel should be cleared with the AOC flight director.]
X 4.	Debrief at MGOC or the hotel during a deployment.
5.	Determine the status of future missions and notify MGOC as to where you can be contacted.

HRD	Radar	Scientist	Check	List

Flight ID:	083111						
Aircraft Number:	N43RF						
	J. Zhang / Marks						
Radar Technician:	T. Lynch						
Number of digital	magnetic tapes on board: 10 plus						
Component Systems Status: MARS Up	Computer						
DAT1							
LF							
Time correction between radar time and digital time: Radar Post flight Summary							
Number of digital tapes used: DAT1	AND THE RESERVE OF THE PARTY OF						
DAT2							
Significant down time:							
DAT1	Radar LF						
DAT2	Radar TA						
Other Problems:							

HRD Radar Event Log

Flight	08083111	Aircraft	N43RFOperator	Zhang	_Sheet _	l of_	
	LF RPM	2	TA RPM	10			

(Include start and end times of DATs, as well as times of F/AST legs and any changes of radar equipment status)

	Tape #	F/AST On?	Event Time (HHMMSS)	Event
	8	tes	08 08 03	Take off
			0813	
			0816	Redu re-started
			0817	
L		L,	0819	Stort reder began Reder beck up
L			10 14	Rober Revet
L		1		
L			1452	Recording Stapped
L				0
L				See daple with perantes
L				for leg ting
L				
L		Sec. 3		
L				
		121310	Andrew Control	
		4-14-1		
-				
		Maria Maria		
		aries e		

	FLIGHT ID: 08083111					Doppler Wind parameters Guytaw				Scientist:		Zhang	·/ P.	Loigh	
	Time (Start leg)	Time (End Leg)	Storm Mo Degrees				Ctr. Long.		Hor. Res	Vert. Res.					Sent
	926	(013	31S		952	(Deg/Min)	(Deg/Min)	66/88/110	3/4/5	0.5	(In/Out)	Trk.+/-180	(track out)	HIS	(Y/N)
	0940	1001			10		09-(0				() ()			7	
5	1043	1135	315	15	110300	2431.0	85 16 T				225				
	11-0														
	1208	1245	320	13	1221	24.76	85.48				05				/
	1319	1415			134848	12578	SC 424				20				
	1376	1412	3.8	15	134848	25.04	85.75				10				

+0