Radar Scientist

Flight ID 20	Radar Scientist MIKE 3UACK							
	pard radar scientist is responsible for data collection from all radar systems							
	igned aircraft. Detailed operational procedures and checklists are contained							
	or's manual supplied to each operator. General supplementary procedures							
follow. (Chec	k off or initial.)							
Preflight								
1.	Determine the status of equipment and report results to the lead project scientist (LPS).							
	Confirm mission and pattern selection from the LPS.							
3.	Select the operational mode for radar system(s) after consultation with the LPS.							
<u> 4</u> .	Complete the appropriate preflight calibrations and check lists as specified in the radar operator's manual.							
In-Flight								
	Operate the system(s) as specified in the operator's manual and as directed by the LPS or as required for aircraft safety as determined by the AOC flight director or aircraft commander.							
<u>√</u> 2.	Maintain a written commentary in the radar logbook of tape and event times, such as the start and end times of F/AST legs. Also document any equipment problems or changes in R/T, INE, or signal status.							
Post flight								
1.	Complete the summary checklists and all other appropriate forms.							
2.	Brief the LPS on equipment status and turn in completed forms to the LPS.							
3.	Hand-carry all radar tapes and arrange delivery as follows:							
	a. Outside of Miami-to the LPS.b. In Miami-to MGOC or to AOML/HRD. [Note: all data removed from the aircraft by HRD personnel should be cleared with the AOC flight director.]							
4.	Debrief at MGOC or the hotel during a deployment.							
5.	Determine the status of future missions and notify MGOC as to where you can be contacted.							

HRD Radar Scientist Check List

Flight ID: 20080912I1 3109A IKE							
Aircraft Number:N 43RF							
Radar Operators: MIKE BLACK							
Radar Technician: TERRY LYNCH							
Number of digital magnetic tapes on board:							
Component Systems Status:							
MARS NEEDS WOMEN! Computer HAL 9000							
DAT1 DAT2							
LF R/T Serial #							
TA R/T Serial #							
Time correction between radar time and digital time:							
Radar Post flight Summary							
Number of digital tapes used: DAT1							
DAT2							
Significant down time:							
DAT1 Radar LF							
DAT2 Radar TA							
Other Problems:							

HRD Radar Event Log

Flight 2008 09 (2-11 Ai	ircraft <u>N43RF</u> Operator_	M.BLACK She	et of
LF RPM	TAREM_	2100 prf	over resolution

(Include start and end times of DATs, as well as times of F/AST legs and any changes of radar equipment status)

Tape #	F/AST On?	Event Time (HHMMSS)	Event
		1033	Taked 21/2 hrs gAp
		1042	Taked 21/2 hrs Jake Started Records
	3/22/52/2		

FLI	FLIGHT ID: 2008 09 12 II Doppler Wind parameters Scientist: MIKE							KE BU	CK					
Time	Time	Storm Mo		Time	Ctr. Lat.	Ctr. Long.		Hor. Res	Vert. Res.		In Azm.	Out Azm.		Sent
	(End Leg)	Degrees	Knots	(Center)	(Deg/Min)	(Deg/Min)	66/88/110	3/4/5	0.5	(In/Out)	Trk.+/-180	(track out)	H/TS	(Y/N)
123310	1-330	290	7	1309	2655	9219								
123310	1\$50			1425										
15/2	1558			1540										