

## Radar Scientist

Flight ID 090876I2 Storm Name TS Danny  
Radar Scientist LORSOLO Radar Technician NAEHER

The on-board radar scientist is responsible for data collection from all radar systems on his/her assigned aircraft. Detailed operational procedures and checklists are contained in the operator's manual. General supplementary procedures follow. (Check off or initial.)

### Preflight

- ☒ 1. Determine the status of equipment and report results to the lead project scientist (LPS).
- ☒ 2. Confirm mission and pattern selection from the LPS.
- ☒ 3. Select the operational mode for radar system(s) after consultation with the LPS.
- ☒ 4. Complete the appropriate preflight calibrations and check lists as specified in the radar operator's manual.

### In-Flight

- ☒ 1. Remind the AOC data technician to start the radar capture files.
- ☒ 2. Operate the system(s) as specified in the operator's manual and as directed by the LPS or as required for aircraft safety as determined by the AOC flight director or aircraft commander.
- ☒ 3. Maintain the Radar Scientist's form as well as a written commentary in the radar logbook of tape and event times, such as the start and end times of F/AST legs. Also document any equipment problems or changes in R/T, INE, or signal status.

### Post flight

- ☒ 1. Complete the summary checklists and all other appropriate forms.
- ☒ 2. Obtain from the AOC data technician all radar tapes and give him a thumbnail drive to download the radar capture files.
- ☒ 3. Brief the LPS on equipment status and turn in completed forms, the thumbnail drive, and all radar tapes to the LPS. [Note: all data removed from the aircraft by HRD personnel should be cleared with the AOC flight director.]
- ☒ 4. Debrief at the base of operations.
- ☒ 5. Determine the status of future missions and notify MGOC as to where you can be contacted.

### HRD Radar Scientist Check List

Flight ID: 090826I2

Radar Operators: S. Loruso

Radar Technician: Dana Naeher

Number of DAT tapes on board: \_\_\_\_\_

Component Systems Status(Up ↑, Down ↓, Not Available N/A, Not Used O):

Device	Pre-flight	In-flight	Post-flight	R/T Serial #
Radar Computer	↑	↑	↓	
DAT drives	↑	↑	↓	
Lower Fuselage antenna	↑	↑	↓	
Tail Antenna	↑	↑	↓	

Time correction between radar time and digital time: \_\_\_\_\_

### Radar Post flight Summary

Number of DAT tapes used: \_\_\_\_\_

Significant down time:

Radar Computer \_\_\_\_\_ Radar LF \_\_\_\_\_

DAT drives \_\_\_\_\_ Radar TA \_\_\_\_\_

Other Problems:



# HRD Radar Event Log

Flight ID 090826T2 Storm Name Danny Sheet 1 of 1  
 Radar Scientist LOBSOLO Radar Technician NAFHER

LF RPM 10 TA RPM 10

(Include start and end times of recording as well as times of F/AST legs and any changes of radar equipment status)

Tape #	F/AST On?	Event Time (HHMMSS)	Event
	Y	2211.03	Start leg @ 25.232, 73.712
		224000	center time 224000 @
			25.14 71.64
		224000	Down Tail Radar
		2235053	Start leg 2
			23.795 69.932
		2410740	Tail Radar Back
		252516	Start leg 3
			@ 24.934 69.004
			center Time
			Poser.
		265900	stop recording
		041200	landed in MacDill
		(271200)	

## Doppler Wind parameters

### Doppler flight-leg notes (for use in automatic QC and analysis)

FLIGHT ID: 090826FZ

**Scientist:** LORSOLO

[illegible]