

N49RF ERROR SUMMARY
Hurricane Michael Mission 0514A

Flight ID: 20181008N1

Sensor or System -----	Number or Name -----
Static Pressure Probe	PSM.1
Dynamic Pressure Probe	PQM.1
Total Temperature Probe	TTM.1
Dewpoint Temp. Probe	TDM.1
Vertical Accelerometer	AccZI.1
Altimeter	AltGPS.3
INE Selection	1
Differential Attack Pressure Probe	PDALPHA.2
Differential Sideslip Pressure Probe	PDBETA.2
Dynamic Attack Pressure Probe	PQALPHA.2
Dynamic Sideslip Pressure Probe	PQBETA.2

Flight Directory acdata/2018/MET/20181008N1

Local Met Data	Takeoff KLAL (1739Z)	Landing KLAL (0144Z)
Dynamic Corrections		Yes
AttackAngleIntercept		3.97801
AttackAngleSlope		3.86172
SlipAngleIntercept		1.258
SlipAngleSlope		6.69941
AttackAngleIntercept2		5.04641
AttackAngleSlope2		5.41847
SlipAngleIntercept2		0.905
SlipAngleSlope2		6.78464

Notes:

There were no edits made in the measured parameters used to calculate meteorological and navigational parameters.

Takeoff/Landing data: Data during landing and takeoff are potentially suspect. It is recommended that ground data not be used for scientific analysis.

Flight Level winds and dew point suspect. PSM.2 inop (PSM.1 used in post processing as reference).

Expendable Type -----	# deployed -----	# good -----	# transmitted -----
Dropsondes	47	38	38
Test sondes	0	0	0
AXBTs	0	0	0
AXCPs	0	0	0
AXCTDs	0	0	0
UAS	0	0	0

Flight Director: Henning

Phone #: (863) 500-3982 ACAT-4 Version = 7.2.2

U.S. Dep't. of Commerce / OMAO / NOAA / Aircraft Operations Center

FLT ID: 20181008N1	From: KLAL	To: KLAL
FLT #:	Blk In: 0150 Z	Lnd Time: 0144 Z
ETD: 1730 Z	Blk Out: 1731 Z	T/O Time: 1739 Z
ETE: 8+15	Total Blk:	Total Flt: 8.1
Sponsoring Org: NHC	Program: PHC	Purpose: MICHAEL S

AOC Flight Crew

Aircraft Commander: COWAN	SSA: DEFE0
Co-Pilot: FRITZLER	AVAPS: Delgado, Warneck e
Navigator: /	Scientists:
Flight Eng: /	Scientists:
Flt Director: HENNING PARRISH	Scientists:
SEB: PATEL /	Scientists:
Crew Chief:	Visitors: /

PSM 1	A/C - Takeoff	Wx Station - Takeoff	A/C - Land	Wx Station - Land
Pressure	1009.0	1010.3 29.98 +29C	1008.45	1009.9 29.97 +26C

AS REQUIRED BY ORM	YES / NO	REMARKS
VOLCANIC ASH		
SCIENCE MISSION WITHIN BOUNDARY LAYER		
LACK OF PRECIPITATION		
RELATIVE HUMIDITY AT OR ABOVE 80%		
LARGE AIR-SEA TEMPERATURE GRADIENT		
HIGH SURFACE WINDS		
LONG FETCH AND/OR DURATION OF SFC WIND		
SEA SALT ACCRETION FORECAST		
SEA SALT ACCRETION OBSERVED		

Dropsondes	47	Good: 38	Bad: 9	Sent: 38
------------	----	----------	--------	----------

AXBT	Good:	Bad:	Sent:
------	-------	------	-------

List other data sources in Remarks section

Remarks (Storm VDM Identifier, Mission ID, Fix Times)

Storm Number Identifier (VDM):
(ie: AL072012)

TCPOD/WSPOD Mission ID:
(ie: NOAA2 2418A SANDY)


0514A MICHAEL

Remarks:

#291505

PSM # 2 INOP

10/08/2018, 17:39:40-25:44:18



APPENDIX 2 – GIV QC Checklist

PSM #1 (#2 INOP)

Flight ID: 20181008N1

Flight Director(s): HENNING/PARRISH

UWZ.d mean:

-3.10 from RAW A.nc file
+0.04 after post processing

Pressure Comparison		
	T/O	Land
Aircraft	1009.0	1008.5
Tower	1010.3	1009.9

	Raw 1Hz Mean File Parameters				C File Parameters	
	AccAXI.1	AccAYI.1	AccAZI.1		AccZref	
☒ Accelerometer	AccAXI.2	AccAYI.2	AccAZI.2			
	AccAXI.3	AccAYI.3	AccAZI.3			
☒ Altitude	AltGPS.1	AltI.1	AltPaADDU.1	AltBCADDU.1	ALTref	
	AltGPS.2	AltI.2	AltPaADDU.2	AltBCADDU.2	ALTPA.d	
	AltGPS.3	AltI.3	AltRA.1		ALTGA.d	
☒ Ground Speed	GsXI-GPS.1	GsXI.1	GsGPS.1	GsXGPS.1	GSXref	
	GsXI-GPS.2	GsXI.2	GsGPS.2	GsXGPS.2	GSYref	
	GsYI-GPS.1	GsXI.3		GsYGPS.1	GSZref	
	GsYI-GPS.2	GsYI.1	GsZI.1	GsYGPS.2		
	GsZI-GPS.1	GsYI.2	GsZI.2	GsZGPS.1		
	GsZI-GPS.2	GsYI.3	GsZI.3	GsZGPS.2		
☒ Lat/Lon	LatGPS.1	LatI.1	LongGPS.1	LonI.1	LATref	
	LatGPS.2	LatI.2	LongGPS.2	LonI.2	LONref	
	LatGPS.3		LongGPS.3			
☒ Pressure	PDALPHA.1	PQALPHA.1	PQM.1	PSM.1	PDALPHAref	PQMref
	PDALPHA.2	PQALPHA.2	PQM.2	PSM.2	PDBETAref	PQ.c
	PDBETA.1	PQBETA.1	PQM.11	PSM.11	PQALPHAref	PSMref
	PDBETA.2	PQBETA.2			PQBETAref	PS.c
☒ Air Speed	CasADDU.1	TasADDU.1	IasADDU.1		IAS.d	TAS.d
☒ Pitch/Roll	PitchI.1	PitchRateI.1	RollI.1	RollRateI.1	PITCHref	
	PitchI.2	PitchRateI.2	RollI.2	RollRateI.2	ROLLref	
	PitchI.3	PitchRateI.3	RollI.3	RollRateI.3		
☒ Temp/Dewpt	TTM.1	TTM.11	TDM.1		TD.c	TTMref
	TTM.2	TTM.13	TDM.2		TDMref	TA.d
	TTM.3	TTM.4	TDM.11			
☒ Miscellaneous (must check)					UWZ.d	WS.d
					DPJ_WSZ	WD.d
					HUM	

PSM.2
INOP

Mission Documents:

☒	Error Summary
☒	Crew Manifest
☒	QC checklist
☒	Dropwindsonde Log(s) – AVAPS and FD if completed
	Miscellaneous FD notes

NOTES:

Selecting PDAlph.2 in post processing removes the very large negative bias in vertical winds seen in RAW A.nc file coming off plane.

N49RF AOC GPS Dropwindsonde Log (updated 9/2017)

Flight ID: 20181008N1

Flight Director(s): Henning/Perrish

Mission ID: 0514A 20A99

Storm Name/Track: Michael

PG 1 of 2

Sonde #	Obs #	Sonde ID (Last 5)	Drop Time (UTC)	Ch #	Lat (°N)	Lon (°E)	Wx Cond.	SFC Prs (mb)	WD/Ws (m/s)	Comments / Issues / ASPEN Edits	KWBC #	Bad Sonde?
1	1	17554	175637	1	28.5	83.6	la cirrus	1013.9	98/15	85/24	081813	
2	2	21001	180732	2	27.8	84.6	Above ci	1011.6	070/17		081825	
3	3	30901	181928	3	29.0	85.4	"	1012.9	095/27		081339	
4	4	21003	182852	4	28.4	86.3	"	1012.6	72/13.7		081848	
5	5	20158	183816	1	29.5	86.7	"	101.3	98/15		081857	
6	6	20796	185006	2	28.2	87.6	scat	1010.7	102/11.8		081910	
7	7	21004	190137	3	27.4	88.6	scat	1009.9	86/10.2		081920	
8	8	20998	1913	4	-	-	Bad Bad	Bad	Bad - Bad - Bad			Bad
9	8	20157	191414	1	28.7	89.4	scat blw	1010.9	78.5/9.0		081934	
10	9	30906	192601	2	29	91	"	1010.6	92/10.8	Re doing rail-b	081946	
11	10	20166	193009	3	28.7	92.3	"	1010.2	82/8.9		081954	
12	11	30262	195346	4	27.5	94.0	"	1008.3	94/7.5		082012	
13	12	20158	200442	1	26.2	94.0	"	1007.8	105/4.8		082023	
14	13	21000	201418	2	25.1	94.9	"	1006.8	102/9.5		082032	
15	14	10549	202534	3	25.1	92.3	"	1007.2	77/8.7		082044	
16	15	10068	203421	4	26.2	92.2	"	1007.6	88/7.8		082053	
17	16	20158	204647	1	27.5	91.8	"	1008.8	81/9.1		082106	
18	17	21002	205538	2	27.4	90.6	"	1008.0	77/9.5		082114	
19	18	10794	210538	3	BAD	BAD	Drop AT 18	missed	Scat prob. ATN			Bad
20	19	20803	210609	4	BAD	BAD	Drop AT 19	missed	hung up high			Bad
21	18	10550	211550	1	24.9	90.5	"	1006.4	76/8.7	No stc BH	082135	
22	19	21062	212925	2	BAD	BAD	Drop PT 20	missed	BAD			Bad
23	20	10503	212925	3	BAD	BAD	Drop PT 20	missed	BAD			Bad
24	19	40089	214024	4	22.7	92.3	"	1001.5	36/6.4		082159	
25	20	10550	215110	1	21.5	92.2	"	1005.3	35/2.3		082210	
26	21	10067	220136	2	21.2	91.0	"	1004.9	325/2.8		082221	
27	22	21011	221530	3	BAD	BAD			BAD			Bad
28	22	21007	221557	4	22.2	89.5	"	1003.8	12.8/3.6		082235	
29	23	40088	222449	1	23.2	89.6	"	1004.5	81.2/8.5		082244	
30	24	20999	223536	2	24.5	89.5	"	1005.5	66/10.3		082254	
31	25	40091	224606	3	25.6	88.6	BKR BLW	1006.2	90/10.7		082305	
32	26	10730	225553	4	BAD	BAD			BAD			Bad
33	26	20716	225626	1	26.1	87.3	"	1006.5	57/11.6		082316	
34	27	40428	230536	2	BAD	BAD			BAD			Bad
35	27	30259	230558	3	26.1	86.0	In the CDO	1007.2	96/16.4		082325	
36	28	20793	231542	4	BAD	BAD			BAD			Bad
37	28	40282	232656	1	24.4	84.4						
38	29	40087	233645	2	24	85.5	"	1000.2	69/22.9		082357	

COMMENTS:

23192 22.57
85.24

N49RF AOC GPS Dropwindsonde Log (updated 9/2017)

Flight ID: 20181008N1

Flight Director(s): Henning/Kerrish

Mission ID: 0514A 201A9

Storm Name/Track: Michael

PG 2 of 2

Sonde #	Obs #	Sonde ID (Last 5)	Drop Time (UTC)	Ch #	Lat (°N)	Lon (°E)	Wx Cond.	SFC Prs (mb)	Comments / Issues / ASPEN Edits	KWBC #	Bad Sonde?
1	30	30028	234832	3	23.5	86.5	Night	999.6	45/20.7	090004	
2	31	20793	235447	4	22.5	86.9	"	100.4	348/12	090016	
3	32	40260	000244	1	21.8	86.5	"	100.5	285/8.7	090022	
4	33	30634	001317	2	22.5	85.4	"	999.5	229/35.8	090033	
5	34	21010	001948	3	22.9	84.6	"	-	Not reach sw 830 yb	090040	
6	35	30261	002840	4	23.3	83.6	"	1003.6	76.7/8.9 No SW wind	090056	
7	36	40260	004300	1	24.8	82.5	"	1008.5	100.4/16.6	090104	
8	37	21013	005613	2	26.0	83.5	"	1009	97/1.5	090116	
9	38	40119	010812	3	27.5	83.5	"	1011.9	75/11.4	090127	
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											
24											
25											
26											
27											
28											
29											
30											
31											
32											
33											
34											
35											
36											
37											
38											

COMMENTS:

8

Last

Last

N49RF AVAPS DROP LOG

Lead Tech: Gabe Defeo

Project: Hurricane 2018

Mission: Hurricane Michael Flight ID: 20181008N1

Take Off: 1737Z

Landing: _____

Flt Dir: Herring/Parnish

Launcher S/N: 002

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge \$\$ To	Comments	Good ?
1	182310554	1	Ø	1756	JW	NWS		✓
2	181840257	2	-3	1807				✓
3	181930901	3	Ø	1819				✓
4	181921003	4	-7	1828				✓
5	181920158	1	Ø	1838				✓
6	181920796	2	Ø	1851				✓
7	181921004	3	Ø	1901				✓
8	181920998	4	Ø	1913			SENSOR WIRE FAIL LOST PTH	X
9	181920157	1	Ø	1914				✓
10	181930906	2	Ø	1926				✓
11	181920162	3	Ø	1936				✓
12	182430262	4	Ø	1953			TRH ONLY	✓
13	181920802	1	Ø	2004				✓
14	181921000	2	Ø	2014				✓
15	182310549	3	Ø	2025				✓
16	182010068	4	Ø	2034				✓
17	182240427	1	Ø	2046				✓
18	182010732	2	Ø	2055				✓
19	181920794	3	Ø	2105			WIRE FAIL LOST PTH	X
20	181920803	4	Ø	2106			WIRE FAIL LOST PTH	X
21	182310550	1	Ø	2115				✓
22	182310560	2	Ø	2129			WIRE FAIL LOST PTH	X
23	182310503	3	Ø	2129			WIRE FAIL LOST PTH	X
24	182440089	4	Ø	2140				✓
25	182440090	1	Ø	2151				✓
26	182010067	2	Ø	2201				✓
27	181921011	3	Ø	2215			WIRE FAIL LOST PTH	X
28	181921007	4	Ø	2225				✓
29	182440088	1	Ø	2224				✓
30	181920999	2	Ø	2235				✓
31	182440091	3	Ø	2246				✓
32	182010730	4	Ø	2255			WIRE FAIL LOST PTH	X
33	181920716	1	Ø	2256				✓
34	182240428	2	Ø	2305			WIRE FAIL LOST PTH	X

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge \$\$ To	Comments	Good ?
35	182430259	3	Ø	2305	JW	NWS		✓
36	181920793	4	Ø	2315	WIRE	FAIL	LOST PTH	X
37	182240282	1	Ø	2326				✓
38	182440087	2	Ø	2336				✓
39	181930028	3	Ø	2345				✓
40	182310551	4	Ø	2354				✓
41	181840260	1	Ø	0002				✓
42	182330634	2	Ø	0013				✓
43	181921010	3	Ø	0019				✓
44	182430261	4	Ø	0028				✓
45	181921001	1	Ø	0043				✓
46	181921013	2	Ø	0056				✓
47	182340119	3	Ø	0108				
48								
49								
50	Note: ALL sondes wrapped w/ Tape on clamshell							
51	Also PWR pin grounded FWH in launch tube							
52								
53								

Drop Station Operator Notes

Charge \$\$ To Options: AOC, NWS, HFIP, HRD, IR/SST, SAT (Special NESDIS/HRD sondes) or HRD ONLY– Do not use funding codes!

AVAPS Pre-Flight Check:

- If time-permits, verify cabin pressure sensor w/ lab standard
- Start AVAPS., then start Soundings and set the Project Name and Full Flight ID (example: 20120823N2).
- Verify the Frequency band allocation as required:
- Band A - W53rd, Band B - Research, Band C - N43RF, Band D - N49RF, Band E – Global Hawk
- Select the **GPS Reference** tab from the **Soundings Displays** page and verify good GPS data
- Perform a prelaunch check on each channel, look for reasonable data and no CRC error status lights. Verify data is available on Remote AVAPS at R1 and L1, then terminate the sonde by selecting **NoDrop** to cancel the sonde initialization. Verify the AVAPS Data mission folder has been created
- Verify AVAPS PC Time is correct – if time is off by >4sec, no data will display
- Early launch detects are caused usually by remanufactured sondes with the chute riser line not properly coiled below the PCB ear. This may also cause fast falls. If this is suspected, repack the riser line as time permits
- Perform RH Regeneration on all sondes – Multiple RD41 sondes may be processed at once

AVAPS Launch:

- Select a sonde frequency in the Green band and away from other sondes
- Enter sonde pressure error offset if 0.4mB or greater using cabin pressure sensor – warning, this can not be used during a climb
- If the Cal lab pressure standard and the cabin pressure standard match, apply pressure offset +/- 0.1 mB
- Select “begin data collection” and verify good data with winds prior to putting sonde in launch tube
- Do not shorten the ribbon on N49
- Loosen ribbon and extend end of ribbon to near, but not over, the sensor end of the sonde
- Place the sonde in the launch tube, sensor arm up, with the power pin socket facing starboard
- Verify the sonde is actively tracking GPS data prior to launch and no early launch detect