

**Cruise:** GU1701 , EcoMon  
**Ship:** R/V Gordon Gunter  
**Dates:** Leg1 (05/16/2017 – 05/26/2017) and Leg2 (05/30/2017 – 06/06/2017)  
**Expo Code:** 33GG20170516 (Leg1) and 33GG20170530 (Leg2)  
**Chief Scientist:** J. Prezioso (Leg1); D. Richardson (Leg2)  
**Equipment:** CTD Rosette & Ship's Flow Thru (FT)  
**Total number of stations:** 42  
**Location:** U.S. Mid-Atlantic and New England coastal region

The samples were run for Dr. Jon Hare of the NEFSC as part of our coastal ocean acidification monitoring project.

**Sample Collection**

The discrete samples were collected from Niskin bottles attached to a 24 bottle configured rosette onboard the R/V Gordon Gunter by the survey tech Christopher Taylor. The date and time listed in the data file are UTC when each sample bottle was collected.

**DIC:**

42 locations, 132 samples each 500-ml, 11 duplicate samples.  
 Sample\_ID#: 90101, etc.; Station, cast number and Niskin bottle number  
 PI: Dr. Rik Wanninkhof  
 Analyzed by: Charles Featherstone and Patrick Mears

**pH:**

42 locations, 132 samples each 500-ml, 11 duplicate samples.  
 Sample\_ID#: 90101, etc.; Station, cast number and Niskin bottle number  
 PI: Dr. Rik Wanninkhof  
 Analyzed by: Charles Featherstone and Patrick Mears

**TAlk:**

42 locations, 132 samples each 500-ml, 11 duplicate samples.  
 Sample\_ID#: 90101, etc.; Station, cast number and Niskin bottle number  
 PI: Dr. Rik Wanninkhof  
 Analyzed by: Dr. Leticia Barbero, Patrick Mears and Charles Featherstone

**Sample Analysis**

**DIC:**

Instrument ID	Date	Certified CRM (µmol/kg)	CRM Value (µmol/kg)	CRM Offset (µmol/kg)	Blank (Counts)	Avg. Sample Analysis Time
AOML 3	06/08/2017	2017.88	2018.85	0.97	26.0	11

AOML 4	06/08/2017	2017.88	2012.15	5.73	37.0	13
AOML 3	06/09/2017	2017.88	2019.74	1.86	36.0	13
AOML 4	06/09/2017	2017.88	2013.14	4.74	47.0	14
AOML 3	06/12/2017	2017.88	2016.60	0.73	18.0	14
AOML 3	06/12/2017	2017.88	2021.52	3.64	27.0	14
AOML 4	06/12/2017	2017.88	2014.18	3.70	28.0	16
AOML 3	06/13/2017	2017.88	2017.38	0.50	28.0	13
AOML 4	06/13/2017	2017.88	2017.93	0.05	38.0	16

Analysis date: 06/08/2017

Coulometer used: DICE–CM5015- AOML 3

Blanks: 26.0 counts/min

CRM # 1027 was used and with an assigned value of (includes both DIC and salinity):

Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343

CRM values measured: AOML 3: offset 0.97  $\mu\text{mol/kg}$  (2018.85  $\mu\text{mol/kg}$ ).

Average run time, minimum run time, maximum run time: 11, 8 and 16 min.

Analysis date: 06/08/2017

Coulometer used: DICE–CM5015- AOML 4

Blanks: 37.0 counts/min

CRM # 730 was used and with an assigned value of (includes both DIC and salinity):

Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343

CRM values measured: AOML 4: offset 5.73  $\mu\text{mol/kg}$  (2012.15  $\mu\text{mol/kg}$ ).

Average run time, minimum run time, maximum run time: 13, 9 and 17 min.

Analysis date: 06/09/2017

Coulometer used: DICE–CM5015- AOML 3

Blanks: 36.0 counts/min

CRM # 675 was used and with an assigned value of (includes both DIC and salinity):

Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343

CRM values measured: AOML 3: offset 1.86  $\mu\text{mol/kg}$  (2019.74  $\mu\text{mol/kg}$ ).

Average run time, minimum run time, maximum run time: 13, 7 and 20 min.

Analysis date: 06/09/2017

Coulometer used: DICE–CM5015- AOML 4

Blanks: 47.0 counts/min

CRM # 34 was used and with an assigned value of (includes both DIC and salinity):

Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343

CRM values measured: AOML 4: offset 4.74  $\mu\text{mol/kg}$  (2013.14  $\mu\text{mol/kg}$ ).

Average run time, minimum run time, maximum run time: 14, 12 and 16 min.

Analysis date: 06/12/2017

Coulometer used: DICE–CM5015- AOML 3

Blanks: 18.0 and 27.0 counts/min

CRM # 173 and #857 was used and with an assigned value of (includes both DIC and salinity): Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343

CRM values measured: AOML 3: offset 0.73  $\mu\text{mol/kg}$  (2016.60  $\mu\text{mol/kg}$ ).

CRM values measured: AOML 3: offset 3.64  $\mu\text{mol/kg}$  (2021.52  $\mu\text{mol/kg}$ ).  
 Average run time, minimum run time, maximum run time: 14, 10 and 15 min.

Analysis date: 06/12/2017  
 Coulometer used: DICE–CM5015- AOML 4  
 Blanks: 28.0 counts/min  
 CRM # 480 was used and with an assigned value of (includes both DIC and salinity):  
 Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343  
 CRM values measured: AOML 4: offset 3.70  $\mu\text{mol/kg}$  (2014.18  $\mu\text{mol/kg}$ ).  
 Average run time, minimum run time, maximum run time: 16, 13 and 16 min.

Analysis date: 06/13/2017  
 Coulometer used: DICE–CM5015- AOML 3  
 Blanks: 28.0 counts/min  
 CRM # 547 was used and with an assigned value of (includes both DIC and salinity):  
 Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343  
 CRM values measured: AOML 3: offset 0.50  $\mu\text{mol/kg}$  (2017.38  $\mu\text{mol/kg}$ ).  
 Average run time, minimum run time, maximum run time: 13, 10 and 15 min.

Analysis date: 06/13/2017  
 Coulometer used: DICE–CM5015- AOML 4  
 Blanks: 38.0 counts/min  
 CRM # 223 was used and with an assigned value of (includes both DIC and salinity):  
 Batch 150, c: 2017.88  $\mu\text{mol/kg}$ , S: 33.343  
 CRM values measured: AOML 4: offset 0.05  $\mu\text{mol/kg}$  (2017.93  $\mu\text{mol/kg}$ ).  
 Average run time, minimum run time, maximum run time: 16, 13 and 20 min.

**Reproducibility:** (# samples and average difference): 11 duplicate samples were collected with an average difference 4.28  $\mu\text{mol/kg}$  (0.91 – 8.02) and an average STDEV of 3.03 (0.0.65 – 5.67).

Instrument	Sample ID	Corrected DIC ( $\mu\text{mol/kg}$ )	Average	STDEV	Difference
AOML3	180101	1992.06			
AOML3	180101	1988.13	1990.10	2.78	3.93
AOML3	280205	1967.32			
AOML3	280205	1970.97	1969.14	2.58	3.65
AOML4	370505	2027.98			
AOML4	370505	2027.06	2027.52	0.65	0.91
AOML4	390601	2202.49			
AOML4	390601	2206.39	2204.44	2.76	3.90
AOML3	561111	2061.19			
AOML3	561111	2067.72	2064.46	4.62	6.54

AOML3	641304	2120.42			
AOML3	641304	2124.83	2122.63	3.11	4.40
AOML4	731401	2191.22			
AOML4	731401	2192.93	2192.08	1.21	1.71
AOML3	891911	2003.81			
AOML3	891911	2008.01	2005.91	2.97	4.20
AOML4	1212211	2027.50			
AOML4	1212211	2032.85	2030.18	3.79	5.35
AOML4	1222304	2143.32			
AOML4	1222304	2147.78	2145.55	3.16	4.46
AOML4	1272404	2163.68			
AOML4	1272404	2171.70	2167.69	5.67	8.02
Average				3.03	4.28

CRM, salinity and HgCl<sub>2</sub> correction applied: Salinity correction was applied using TSG salinity.

### **Remarks**

The volume correction was applied due to added HgCl<sub>2</sub> (Measured DIC\*1.00037).  
The first CRM of each cell was used for a CRM correction.

The DIC instruments were stable: the gas loop and CRM values did not change significantly throughout the life span of each cell.

The blank on AOML 3 (06/08/2017) was raised from 16.9 to 26.0 before running the CRM.

The blank on AOML 4 (06/08/2017) was raised from 33.0 to 37.0 before running the CRM.

The blank on AOML 3 (06/09/2017) was raised from 24.6 to 36.0 before running the CRM.

The blank on AOML 4 (06/09/2017) was raised from 24.5 to 37.0 before running the CRM. Raised blank to 47.0 and re-ran CRM.

The blank on AOML 3 (06/12/2017) was raised from 12.0 to 18.0 before running the CRM. After sample bottle 79 raised blank to 27.0 and ran another CRM.

The blank on AOML 4 (06/12/2017) was raised from 13.0 to 28.0 before running the CRM.

The blank on AOML 3 (06/13/2017) was raised from 12.0 to 28.0 before running the CRM.

The blank on AOML 4 (06/13/2017) was raised from 25.2 to 38.0 before running the CRM.

The samples were analyzed using the DICE (AOML 3 and 4) and a new coulometer from UIC, Inc. CM5015 with CM5011 emulation software.

**pH:**

Analysis date: 06/08/2017 to 06/09/2017 and 06/12/2017 to 06/13/2017  
Spectrophotometer used: HP Agilent 8453

**CRMs measured before each sample run**

CRM #	Analysis Date	Salinity	pH Value
967	6/8/17	33.343	7.9422
423	6/9/17	33.343	7.9434
361	6/12/17	33.343	7.9429
1168	6/13/17	33.343	7.9403

Average                7.9422  
STDEV                    0.0014

**Reproducibility:** (# samples and average difference): 11 duplicates were collected.

Instrument	Sample ID	Bottle #	pH @20deeg C	Average	STDEV	Difference
HP Agilent 8453	180101	3	7.8549			
HP Agilent 8453	180101	4	7.8541	7.8545	0.0005	0.0007
HP Agilent 8453	280205	10	7.9843			
HP Agilent 8453	280205	11	7.9838	7.9840	0.0004	0.0005
HP Agilent 8453	370505	21	7.9197			
HP Agilent 8453	370505	22	7.9206	7.9201	0.0007	0.0009
HP Agilent 8453	390601	25	7.7343			
HP Agilent 8453	390601	26	7.7352	7.7347	0.0007	0.0009

HP Agilent 8453	561111	47	8.0368				
HP Agilent 8453	561111	48	8.0370	8.0369	0.0001	0.0002	
HP Agilent 8453	641304	55	7.9070				
HP Agilent 8453	641304	56	7.9068	7.9069	0.0002	0.0003	
HP Agilent 8453	731401	60	7.7727				
HP Agilent 8453	731401	61	7.7726	7.7727	0.0001	0.0001	
HP Agilent 8453	891911	81	7.9304				
HP Agilent 8453	891911	82	7.9389	7.9347	0.0060	0.0085	
HP Agilent 8453	1212211	96	7.9279				
HP Agilent 8453	1212211	97	7.9281	7.9280	0.0001	0.0002	
HP Agilent 8453	1222304	100	7.8551				
HP Agilent 8453	1222304	101	7.8557	7.8554	0.0004	0.0006	
HP Agilent 8453	1272404	105	7.7967				
HP Agilent 8453	1272404	106	7.7959	7.7963	0.0006	0.0008	
Average						0.0009	0.0013

### **Remarks**

The equations of Liu et al, 2011 formulated using the purified m-cresol purple indicator was used to determine pH of the samples. pH samples were analyzed at 20<sup>0</sup>C at Full Scale (pH 0-14).

Temperature for each sample was measured before analysis using a Hart Scientific Fluke 1523 reference thermometer.

Approximately 80 mL of sample was extracted from each DIC sample bottle by syringe before DIC analysis to determine the pH.

pH was measured with an automated system and water bath for constant temperature.

### **Talk:**

Analysis date: 06/12/2017 - 06/14/2017 and 06/19/2017 – 06/22/2017

Titration system used: Open cell

CRM Batch 129, Salinity = 33.361, cert. TA = 2237.32  $\mu\text{mol/kg}$  (06/12/2017 Sys1).

CRM Batch 150, Salinity = 33.343, cert. TA = 2214.71  $\mu\text{mol/kg}$ .

The CRM was analyzed before the samples and the same CRM was run at the end of analysis each day for each system.

The TA for the water samples was corrected using the daily averaged ratios between the certified and measured values of the CRMs run on each cell. The following table shows the CRM measurements for each day and cell.

Cell System	Date	Time	Bottle #	TA	\Delta CRM
1	06/12/2017	12:22:54	588	2219.41	
1	06/12/2017	19:36:20	588	2220.40	0.99
1	06/13/2017	11:52:24	927	2221.62	
1	06/13/2017	17:35:14	927	2220.22	1.40
1	06/19/2017	12:59:51	1109	2220.70	
1	06/19/2017	18:54:44	1109	2219.25	1.47
1	06/20/2017	10:36:11	47	2217.59	
1	06/20/2017	15:50:31	47	2118.41	0.82
1	06/21/2017	10:56:48	973	2220.14	
1	06/21/2017	15:28:53	973	2222.60	2.46
1	06/22/2017	10:22:03	654	2217.10	
1	06/22/2017	15:11:47	654	2218.92	1.82
2	06/12/2017	12:45:57	784	2220.64	
2	06/12/2017	19:32:23	784	2223.14	2.50
2	06/13/2017	11:41:22	1229	2220.38	
2	06/13/2017	17:41:01	1229	2217.97	2.41
2	06/14/2017	08:29:20	604	2218.38	
2	06/14/2017	19:09:49	604	2217.03	1.77
2	06/19/2017	11:16:12	300	2216.16	
2	06/19/2017	18:50:2	300	2219.61	3.45

**Reproducibility:** (# samples and average difference): 11 duplicate samples were collected with an average difference 2.96  $\mu\text{mol/kg}$  (0.15 – 10.14) and an average STDEV of 2.09 (0.11 – 7.17).

System	Sample ID	TAlk	Average	Difference	STDEV
System 2	180101	2115.06	2117.60	5.09	3.60
System2	180101	2120.15			
System 1	280205	2186.50	2181.86	9.29	6.57
System 1	280205	2177.22			
System 2	370505	2192.06	2192.40	0.68	0.48
System2	370505	2192.74			
System 1	390601	2317.78	2317.19	1.19	0.84
System 1	390601	2316.59			
System2	561111	2304.59	2304.66	0.15	0.11
System 2	561111	2304.74			
System2	641304	2313.67	2314.28	1.22	0.86
System 2	641304	2314.89			
System 2	731401	2324.75	2325.59	1.68	1.19
System2	731401	2326.43			
System 2	891911	2178.84	2183.91	10.14	7.17
System2	891911	2188.98			
System2	1212211	2205.17	2204.47	1.40	0.99
System 2	1212211	2203.77			
System 1	1222304	2307.56	2307.91	0.70	0.50
System 1	1222304	2308.26			
System 1	1272404	2302.14	2301.60	1.06	0.75
System 1	1272404	2301.07			
Average				2.96	2.09

### **Remarks**

The CRM measurement for each day was used to correct the data for that day only. Both systems worked well.

### **Comments**

The latitude, longitude, date, and time reported with the DIC, pH and TAlk



measurements were taken from the sample field log. The field log values are provided for reference; no post-cruise assurance of accuracy has been done to this data.

The Sample ID is the sample station, cast number and Niskin bottle number for the discrete samples.

Salinity values for the flow thru (FT) samples were taken from the UW pCO<sub>2</sub> system.

UPDATE:

Between March and June of 2021, all of the data for the discrete samples was put into a uniform format. The supporting information was checked for accuracy, especially the expocode, date, time, and positions.

Additionally, pH results were recalculated to 20 and 25 degrees Celsius.