

EARLY STAGE EXPERIMENT
Flight Pattern Descriptions

Experiment/Module: Gravity Wave Module

Investigator(s): Jun Zhang (Co-PI), David Nolan (Co-PI, University of Miami)

Requirements: TD, TS, Category 1

Early Stage Science Objective(s) Addressed:

- 1) Collect datasets that can be used to improve the understanding of intensity change processes, as well as the initialization and evaluation of 3-D numerical models, particularly for TCs experiencing moderate vertical wind shear [*IFEX Goals 1, 3*]

P-3 Pattern 1:

What to Target: Sample the inner core and near environments of the TC

When to Target: Any strength TC; no land restrictions. This module ideally should be conducted in quadrant with the least rainband activity, typically the upshear right or right-real quadrant. The best opportunity is at the end of a standard Figure-4 pattern, when the last leg terminates in a quadrant with less rainbands.

Pattern: Any standard P-3 pattern that provides symmetric coverage (e.g. Rotated Figure-4, Figure-4 Butterfly, etc.). At the end of the last leg, continue outward to distance of 160 n mi (300 km) from the center, or further if possible (see Fig. EA-1). Then turn the P-3 around and head directly back to the eye, retracing the previous leg in the opposite direction.




Figure EA-1. Depiction of the Gravity Wave module in which the P-3 flies an extended leg (160 n mi) (red path) and reverses course along the same azimuth back to the eye

Flight altitude: 10–12 kft or as high as possible

Leg length or radii: Leg lengths should extend to at least 160 n mi (300 km) from the center, or further if time permits, including the turn leg back the center

Estimated in-pattern flight duration: ~40 min – 1 hr

2019 NOAA/AOML/HRD Hurricane Field Program - IFEX

EARLY STAGE EXPERIMENT *Flight Pattern Descriptions*

Expendable distribution: Dropsondes and AXBTs are not a requirement

Instrumentation Notes: Use TDR defaults. Use straight flight legs as safety permits.