

Radar Scientist

The on-board radar scientist is responsible for data collection from all radar systems on his/her assigned aircraft. Detailed operational procedures and checklists are contained in the operator's manual supplied to each operator. General supplementary procedures follow. (Check off or initial.)

Preflight

- MB 1. Determine the status of equipment and report results to the lead project scientist (LPS).
- ✓ 2. Confirm mission and pattern selection from the LPS.
- L 3. *mostly F/AST, some continuous w/ER2*
Select the operational mode for radar system(s) after consultation with the LPS.
- ✓ 4. Complete the appropriate preflight calibrations and check lists as specified in the radar operator's manual.

In-Flight

- _____ 1. Operate the system(s) as specified in the operator's manual and as directed by the LPS or as required for aircraft safety as determined by the AOC flight director or aircraft commander.
- _____ 2. Maintain a written commentary in the radar logbook of tape and event times, such as the start and end times of F/AST legs. Also document any equipment problems or changes in R/T, INE, or signal status.

Post flight

- _____ 1. Complete the summary checklists and all other appropriate forms.
- _____ 2. Brief the LPS on equipment status and turn in completed forms to the LPS.
- _____ 3. Hand-carry all radar tapes and arrange delivery as follows:
 - a. Outside of Miami-to the LPS.
 - b. In Miami-to MGOC or to AOML/HRD. [Note: all data removed from the aircraft by HRD personnel should be cleared with the AOC flight director.]
- _____ 4. Debrief at MGOC or the hotel during a deployment.
- _____ 5. Determine the status of future missions and notify MGOC as to where you can be contacted.

HRD Radar Scientist Check List

Flight ID: 050722I

Aircraft Number: 43RF

Radar Operators: M. Black

Radar Technician: Terry Lynch

Number of digital magnetic tapes on board: 9 bunch

Component Systems Status:

MARS _____ Computer _____

DAT1 _____ DAT2 _____

LF _____ R/T Serial # _____

TA _____ R/T Serial # _____

Time correction between radar time and digital time: _____

Radar Post flight Summary

Number of digital tapes used: DAT1 _____

DAT2 _____

Significant down time:

DAT1 _____ Radar LF _____

DAT2 _____ Radar-TA _____

Other Problems:

HRD Radar Event Log

Flight 050722T Aircraft 43 Operator M. B. / 01 Sheet 1 of 1

LF RPM 2 TA RPM 10

(Include start and end times of DATs, as well as times of F/AST legs and any changes of radar equipment status)

[illegible]